

Competent Person Evaluation Fall Restraint & Fall Arrest

This checklist has been devised to help/assist the employer determine if the person he/she has designated as a Competent Person is competent within the description and intent of the Fall Restraint and Fall Arrest Standard, WAC 296-155-24603.

Employee's Name		Position	
Date of Evaluation by Employer	Length of Time with Employer	Length of Experience in Fall Protection	

Training:

Does the designated individual have training in:	Yes	No
Use of fall protection equipment.	<input type="checkbox"/>	<input type="checkbox"/>
Inspection requirements of fall protection equipment.	<input type="checkbox"/>	<input type="checkbox"/>
Maintenance of fall protection equipment.	<input type="checkbox"/>	<input type="checkbox"/>
Storage of fall protection equipment.	<input type="checkbox"/>	<input type="checkbox"/>
Identifying fall hazards.	<input type="checkbox"/>	<input type="checkbox"/>
Requirements of the fall restraint and & fall arrest standards.	<input type="checkbox"/>	<input type="checkbox"/>

Knowledge:

Does the individual have knowledge about:	Yes	No
Fall hazards.	<input type="checkbox"/>	<input type="checkbox"/>
Manufacturer's recommendations and instructions for the proper use, inspection, and maintenance.	<input type="checkbox"/>	<input type="checkbox"/>
Requirement of the standards.	<input type="checkbox"/>	<input type="checkbox"/>
Fall protection work plans.	<input type="checkbox"/>	<input type="checkbox"/>
Emergency removal.	<input type="checkbox"/>	<input type="checkbox"/>

Authority:

Does the designated individual have authority to:	Yes	No
Take prompt corrective measures to eliminate existing and predictable hazards?	<input type="checkbox"/>	<input type="checkbox"/>
Stop work until hazards are corrected or eliminated or controlled, and remove employees from the hazardous area until proper systems are in place?	<input type="checkbox"/>	<input type="checkbox"/>

Comments:

Do you consider the individual to be competent within the requirements of the fall restraint and fall arrest standard ?	Yes	No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
If not, why? Areas to be strengthened?		

Continue of reverse if more space is needed

Signature:

Print Employer/Representative Name

Employer/Representative Signature