## **Intertek Testing Services NA Inc. (ETL)**

Regional Laboratory: 1365 Adams Court, Menlo Park, CA 94025 Inspection Body: 1950 Evergreen Boulevard, Suite 100, Duluth GA 30096 Certification Body: 545 East Algonquin Road, Arlington Heights, IL 60065 650 463 2900 (tel); 650 463 2910 (fax)

## **Contacts:**

Certification Listings: Edmund Cruz – edmund.cruz@intertek.com

Field Evaluations: Gary Flom – <a href="mailto:gary.flom@intertek.com">gary.flom@intertek.com</a>

Website: www.intertek.com

| Standard Number                      | Standard Title   |
|--------------------------------------|--|
| ANSI Z8.1                            | Commercial Laundry and Dry-cleaning Operations-Safety Requirements   |
| ANSI/AAMI ES60601-1:<br>2005/(R)2012 | Medical electrical equipment, Part 1: General requirements for basic safety and essential performance (with amendments)                    |
| ASME A17.5                           | Elevators and Escalator Electrical Equipment   |
| BHMA A156.3                          | Exit Devices   |
| CGA G-2.1                            | Storage and Handling of Anhydrous Ammonia (CGA G-2.1)  |
| CSA/AM Z21.1                         | Household Cooking Gas Appliances   |
| CSA/AM Z21.5.1                       | Gas Clothes Dryers - Volume I - Type 1 Clothes Dryers  |
| CSA/AM Z21.5.2                       | Gas Clothes Dryers - Volume II - Type 2 Clothes Dryers   |
| CSA/AM Z21.10.1                      | Gas Water Heaters - Volume I - Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or less                                     |
| CSA/AM Z21.10.3                      | Gas Water Heaters - Volume III - Storage, Circulating and Instantaneous Water Heaters with Input Ratings above 75,000 Btu per Hour or less |
| CSA/AM Z21.11.2                      | Gas-Fired Room Heaters - Volume II - Unvented Room Heaters   |
| CSA/AM Z21.13                        | Gas-Fired Low-Pressure Steam and Hot Water Heating Boilers   |
| CSA/AM Z21.15                        | Manually Operated Gas Valves   |
| CSA/AM Z21.17                        | Domestic Gas Conversion Burners  |
| CSA/AM Z21.18                        | Gas Appliance Pressure Regulators  |
| CSA/AM Z21.19                        | Refrigerators Using Gas Fuel   |

| I               |   |
|-----------------|---|
| CSA/AM Z21.20   | Automatic Gas Ignition Systems and Components   |
| CSA/AM Z21.21   | Automatic Valves for Gas Appliances   |
| CSA/AM Z21.22   | Relief Valves and Automatic Gas Shutoff Devices for Hot Water Supply Systems          |
| CSA/AM Z21.23   | Gas Appliance Thermostats   |
| CSA/AM Z21.24   | Metal Connectors for Gas Appliances   |
| CSA/AM Z21.35   | Gas Filters on Appliances   |
| CSA/AM Z21.40.1 | Gas-Fired Absorption Summer Air Conditioning Appliances                               |
| CSA/AM Z21.41   | Quick-Disconnect Devices for Use with Gas Fuel  |
| CSA/AM Z21.42   | Gas-Fired Illuminating Appliances   |
| CSA/AM Z21.47   | Gas-Fired Central Furnaces  |
| CSA/AM Z21.50   | Vented Decorative Gas Appliances  |
| CSA/AM Z21.54   | Gas Hose Connectors for Portable Outdoor Gas-Fired Appliances                         |
| CSA/AM Z21.56   | Gas-Fired Pool Heaters  |
| CSA/AM Z21.57   | Recreational Vehicle Cooking Gas Appliances   |
| CSA/AM Z21.58   | Outdoor Cooking Gas Appliances  |
| CSA/AM Z21.60   | Decorative Gas Appliances for Installation in Solid-Fuel Burning Fireplaces           |
| CSA/AM Z21.66   | Automatic Vent Damper Devices for Use With Gas-Fired Appliances Electrically Operated |
| CSA/AM Z21.69   | Connectors for Movable Gas Appliances   |
| CSA/AM Z21.72   | Portable Camp Cook Stoves for Use With Propane Gas                                    |
| CSA/AM Z21.73   | Portable Type Gas Camp Lights   |
| CSA/AM Z21.74   | Portable Refrigerators for Use With HD-5 Propane Gas                                  |
| CSA/AM Z21.76   | Gas-Fired Unvented Catalytic Room Heaters for Use With Liquefied Petroleum (LP) Gases |
| CSA/AM Z21.86   | Vented Gas-Fired Space Heating Appliance  |

| CSA/AM Z21.88    | Vented Gas Fireplace Heaters  |
|------------------|---|
| CSA/AM Z83.4     | Direct Gas-Fired Make-Up Air Heaters  |
| CSA/AM Z83.7     | Gas-Fired Construction Heater   |
| CSA/AM Z83.8     | Gas Unit Heaters  |
| CSA/AM Z83.11    | Gas Food Service Equipment - Ranges and Unit Broilers   |
| CSA/AM Z83.18    | Direct Gas-Fired Industrial Air Heaters   |
| FM 3260          | Flame Radiation Detectors for Automatic Fire Alarm Signaling  |
| FM 3600          | Electrical Equipment for Use in Hazardous (Classified) Locations, General Requirements  |
| FM 3610          | Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II and III, Division 1 Hazardous (Classified) Locations |
| FM 3611          | Electrical Equipment for Use in Class I, Division 2; Class II, Division 2; and Class III, Division 1 and 2 Hazardous Locations    |
| FM 3615          | Explosionproof Electrical Equipment, General Requirements   |
| IEEE C37.013(1)  | AC High-Voltage Generator Circuit Breakers Rated on a Symmetrical Current   |
| IEEE C37.13(1)   | Low Voltage AC Power Circuit Breakers Used in Enclosures  |
| IEEE C37.14(1)   | Low Voltage DC Power Circuit Breakers Used in Enclosures  |
| IEEE C37.17(1)   | Trip Devices for AC and General Purpose DC Low-Voltage Power Circuit Breakers   |
| IEEE C37.18(1)   | Enclosed Field Discharge Circuit Breakers for Rotating Electric Machinery   |
| IEEE C37.20.1(1) | Metal-Enclosed Low Voltage Power Circuit Breaker Switchgear   |
| IEEE C37.20.2(1) | Metal-Clad and Station-Type Cubicle Switchgear  |
| IEEE C37.20.3(1) | Metal-Enclosed Interrupter Switchgear   |
| IEEE C37.21      | Control Switchboards  |
| IEEE C37.23(1)   | Metal Enclosed Bus and Calculating Losses in Isolated-Phase Bus   |
| IEEE C37.46(1)   | Power Fuses and Fuse Disconnecting Switches   |
| IEEE C37.90(1)   | Relays and Relay Systems Associated with Electric Power Apparatus   |

| IEEE C37.121(1)   | Unit Substations - Requirements   |
|-------------------|---|
| IEEE C57.12.00(1) | Distribution, Power and Regulating Transformers - General Requirements  |
| IEEE C57.13(1)    | Instrument Transformers - Requirements  |
| IEEE C62.11(1)    | Metal-Oxide Surge Arresters for AC Power Circuits   |
| ISA 12.12.01      | Nonincendive Electrical Equipment for Use in Class I and II, Division 2 and Class III, Divisions 1 and 2 Hazardous (Classified) Locations |
| ISA 82.02.02      | Electrical Equipment for Measurement, Control, and Laboratory Use   |
| ISA 60079-0       | Explosive Atmospheres - Part 0: Equipment - General Requirements  |
| ISA 60079-1       | Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures "d"   |
| ISA 60079-6       | Explosive Atmospheres - Part 6: Equipment Protection by Liquid Immersion "o"  |
| ISA 60079-7       | Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e"  |
| ISA 60079-11      | Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i"   |
| ISA 60079-15      | Explosive Atmospheres - Part 15: Equipment Protection by Type of Protection "n" (Edition 4)   |
| ISA 60079-25      | Explosive Atmospheres - Part 25: Intrinsically Safe Electrical Systems  |
| ISA 60079-28      | Explosive Atmospheres - Part 28: Protection of Equipment and Transmission Systems Using Optical Radiation, Edition 1.1                    |
| ISA 60079-31      | Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection by Enclosure "t"  |
| ISA 61241-0       | Electrical Apparatus for Use in Zone 20, Zone 21, and Zone 22 Hazardous (Classified) Locations - General Requirements                     |
| ISA 61241-1       | Electrical Apparatus for Use in Zone 21 and Zone 22 Hazardous (Classified) Locations - Protection by Enclosures "tD"                      |
| ISA 61241-2       | Electrical Apparatus for Use in Zone 21 and Zone 22 Hazardous (Classified) Locations - Protection by Pressurization "pD"                  |
| ISA 61241-11      | Electrical Apparatus for Use in Zone 20, Zone 21, and Zone 22 Hazardous (Classified) Locations - Protection by Intrinsic Safety "iD"      |
| ISA 61241-18      | Electrical Apparatus for Use in Zone 20, Zone 21, and Zone 22 Hazardous (Classified) Locations - Protection by Encapsulation "mD"         |
| NEMA C37.50(1)    | Low-Voltage AC Power Circuit Breakers Used in Enclosures - Test Procedures  |
| NEMA C37.51(1)    | Metal-Enclosed Low-Voltage AC Power Circuit-Breaker Switchgear Assemblies - Conformance Test Procedures                                   |
| NEMA C37.55(1)    | Metal-Clad Switchgear Assemblies - Conformance Test Procedures  |

| NEMA C37.57(1) | Metal-Enclosed Interrupter Switchgear Assemblies - Conformance Testing                     |
|----------------|--|
| NFPA 496       | Purged and Pressurized Enclosures for Electrical Equipment                                 |
| UL 1           | Flexible Metal Conduit   |
| UL 4           | Armored Cable  |
| UL 5           | Surface Metal Electrical Raceways and Fittings   |
| UL 5A          | Nonmetallic Surface Raceways and Fittings  |
| UL 5B          | Strut-Type Channel Raceways and Fittings   |
| UL 5C          | Standard for Surface Raceways and Fittings for Use with Data, Signal, and Control Circuits |
| UL 6           | Rigid Metal Conduit  |
| UL 6A          | Electrical Rigid Metal Conduit - Aluminum, Bronze, and Stainless Steel                     |
| UL 8           | Foam Fire Extinguishers  |
| UL 10A         | Tin-Clad Fire Doors  |
| UL 10B         | Fire Tests of Door Assemblies  |
| UL 10C         | Positive Pressure Fire Tests of Door Assemblies  |
| UL 13          | Power-Limited Circuit Cables   |
| UL 14B         | Sliding Hardware for Standard, Horizontally Mounted Tin-Clad Fire Doors                    |
| UL 14C         | Swinging Hardware for Standard Tin-Clad Fire Doors Mounted Singly or In Pairs              |
| UL 17          | Vent or Chimney Connector Dampers for Oil-Fired Appliances                                 |
| UL 20          | General-Use Snap Switches  |
| UL 21          | LP-Gas Hose  |
| UL 22          | Amusement and Gaming Machines  |
| UL 25          | Meters for Flammable and Combustible Liquids and LP Gas                                    |
| UL 30          | Metal Safety Cans  |

| 1      | 1  |
|--------|--|
| UL 38  | Manual Signaling Boxes for Fire Alarm Systems  |
| UL 44  | Rubber-Insulated Wires and Cables  |
| UL 48  | Electric Signs   |
| UL 50  | Electrical Cabinets and Boxes  |
| UL 50E | Enclosures for Electrical Equipment, Environmental Considerations                        |
| UL 51  | Power-Operated Pumps for Anhydrous Ammonia and LP-Gas                                    |
| UL 62  | Flexible Cord and Fixture Wire   |
| UL 65  | Electric Wired Cabinets  |
| UL 67  | Electric Panelboards   |
| UL 69  | Electric-Fence Controllers   |
| UL 73  | Electric Motor-Operated Appliances   |
| UL 79  | Power-Operated Pumps for Petroleum Product Dispensing Systems                            |
| UL 80  | Steel Tanks for Oil-Burner Fuels and Other Combustible Liquids                           |
| UL 82  | Electric Gardening Appliances  |
| UL 83  | Thermoplastic-Insulated Wires and Cables   |
| UL 87  | Power-Operated Dispensing Devices for Petroleum Products                                 |
| UL 92  | Fire Extinguisher and Booster Hose   |
| UL 98  | Enclosed and Dead-Front Switches   |
| UL 104 | Elevator Door Locking Devices and Contacts   |
| UL 109 | Tube Fittings for Flammable and Combustible Fluids, Refrigeration Service and Marine Use |
| UL 122 | Photographic Equipment   |
| UL 123 | Oxy-Fuel Gas Torches   |
| UL 125 | Valves for Anhydrous Ammonia and LP-Gas (Other Than Safety Relief)                       |

| 1       | 1  |
|---------|--|
| UL 130  | Electric Heating Pads  |
| UL 132  | Safety Relief Valves for Anhydrous Ammonia and LP-Gas                          |
| UL 141  | Garment Finishing Appliances   |
| UL 142  | Steel Aboveground Tanks for Flammable and Combustible Liquids                  |
| UL 144  | LP-Gas Regulators  |
| UL 147  | Hand-Held Torches for Fuel Gases   |
| UL 150  | Antenna Rotators   |
| UL 153  | Portable Electric Lamps  |
| UL 154  | Carbon-Dioxide Fire Extinguisher   |
| UL 155  | Tests of Fire Resistance of Vault and File Room Doors                          |
| UL 174  | Household Electric Storage - Tank Water Heaters                                |
| UL 180  | Liquid-Level Indicating Gauges and Tank-Filling Signals for Petroleum Products |
| UL 181  | Factory Made Air Ducts and Connectors  |
| UL 183  | Manufactured Wiring Systems  |
| UL 193  | Alarm Valves for Fire-Protection Service                                       |
| UL 194  | Gasketed Joints for Ductile-Iron Pipe and Fittings for Fire Protection Service |
| UL 197  | Commercial Electric Cooking Appliances   |
| UL 198M | Mine-Duty Fuses  |
| UL 201  | Standard for Garage Equipment  |
| UL 209  | Cellular Metal Floor Raceways and Fittings                                     |
| UL 217  | Single and Multiple Station Smoke Detectors                                    |
| UL 218  | Fire Pump Controllers  |
| UL 228  | Door Closers-Holders, With or Without Integral Smoke Detectors                 |

| I         |  |
|-----------|--|
| UL 231    | Electrical Power Outlets                                       |
| UL 234    | Low Voltage Lighting Fixtures for Use in Recreational Vehicles |
| UL 244A   | Solid-State Controls for Appliances                            |
| UL 248-1  | Low-Voltage Fuses - Part 1: General Requirements               |
| UL 248-2  | Low-Voltage Fuses - Part 2: Class C Fuses                      |
| UL 248-3  | Low-Voltage Fuses - Part 3: Class CA and CB Fuses              |
| UL 248-4  | Low-Voltage Fuses - Part 4: Class CC Fuses                     |
| UL 248-5  | Low-Voltage Fuses - Part 5: Class G Fuses                      |
| UL 248-6  | Low-Voltage Fuses - Part 6: Class H Non-Renewable Fuses        |
| UL 248-7  | Low-Voltage Fuses - Part 7: Class H Renewable Fuses            |
| UL 248-8  | Low-Voltage Fuses - Part 8: Class J Fuses                      |
| UL 248-9  | Low-Voltage Fuses - Part 9: Class K Fuses                      |
| UL 248-10 | Low-Voltage Fuses - Part 10: Class L Fuses                     |
| UL 248-11 | Low-Voltage Fuses - Part 11: Plug Fuses                        |
| UL 248-12 | Low-Voltage Fuses - Part 12: Class R Fuses                     |
| UL 248-13 | Low-Voltage Fuses - Part 13: Semiconductor Fuses               |
| UL 248-14 | Low-Voltage Fuses - Part 14: Supplemental Fuses                |
| UL 248-15 | Low-Voltage Fuses - Part 15: Class T Fuses                     |
| UL 248-16 | Low-Voltage Fuses - Part 16: Test Limiters                     |
| UL 250    | Household Refrigerators and Freezers                           |
| UL 252    | Compressed Gas Regulators                                      |
| UL 252A   | Compressed Gas Regulator Accessories                           |
| UL 268    | Smoke Detectors for Fire Alarm Signaling Systems               |

| I       |   |
|---------|---|
| UL 268A | Smoke Detectors for Duct Application  |
| UL 291  | Automated Teller Systems  |
| UL 294  | Access Control System Units   |
| UL 296  | Oil Burners   |
| UL 296A | Waste Oil-Burning Air-Heating Appliances  |
| UL 299  | Dry Chemical Fire Extinguisher  |
| UL 300  | Fire Testing of Fire Extinguishing Systems for Protection of Restaurant Cooking Areas   |
| UL 305  | Panic Hardware  |
| UL 307A | Liquid Fuel-Burning Heating Appliances for Manufactured Homes and Recreational Vehicles |
| UL 307B | Gas Burning Heating Appliances for Manufactured Homes and Recreational Vehicles         |
| UL 310  | Electrical Quick-Connect Terminals  |
| UL 325  | Door, Drapery, Gate, Louver, and Window Operators and Systems                           |
| UL 330  | Hose and Hose Assemblies for Dispensing Gasoline  |
| UL 331  | Strainers for Flammable Fluids and Anhydrous Ammonia                                    |
| UL 346  | Waterflow Indicators for Fire Protective Signaling Systems                              |
| UL 347  | High-Voltage Industrial Control Equipment   |
| UL 353  | Limit Controls  |
| UL 355  | Cord Reels  |
| UL 360  | Liquid-Tight Flexible Steel Conduit   |
| UL 363  | Knife Switches  |
| UL 365  | Police Station Connected Burglar Alarm Units and Systems                                |
| UL 372  | Primary Safety Controls for Gas- and Oil-Fired Appliances                               |
| UL 378  | Draft Equipment   |

| ı      | 1  |
|--------|--|
| UL 391 | Solid-Fuel and Combination-Fuel Control and Supplementary Furnaces |
| UL 399 | Drinking-Water Coolers   |
| UL 404 | Gauges, Indicating Pressure, for Compressed Gas Service            |
| UL 407 | Manifolds for Compressed Gases                                     |
| UL 412 | Refrigeration Unit Coolers   |
| UL 414 | Meter Sockets  |
| UL 416 | Refrigerated Medical Equipment                                     |
| UL 427 | Refrigerating Units  |
| UL 429 | Electrically Operated Valves                                       |
| UL 430 | Electric Waste Disposers   |
| UL 441 | Gas Vents  |
| UL 443 | Steel Auxiliary Tanks for Oil-Burner Fuel                          |
| UL 444 | Communications Cables  |
| UL 448 | Pumps for Fire-Protection Service                                  |
| UL 452 | Antenna - Discharge Units  |
| UL 464 | Audible Signal Appliances  |
| UL 466 | Electric Scales  |
| UL 467 | Electrical Grounding and Bonding Equipment                         |
| UL 469 | Musical Instruments and Accessories                                |
| UL 471 | Commercial Refrigerators and Freezers                              |
| UL 474 | Dehumidifiers  |
| UL 482 | Portable Sun/Heat Lamps  |
| UL 484 | Room Air Conditioners  |
|        |  |

| UL 486A-486B | Wire Connectors   |
|--------------|---|
| UL 486C      | Splicing Wire Connectors  |
| UL 486D      | Sealed Wire Connector Systems   |
| UL 486E      | Equipment Wiring Terminals for Use with Aluminum and/or Cooper Conductors |
| UL 489       | Molded-Case Circuit Breakers and Circuit-Breaker Enclosures               |
| UL 493       | Thermoplastic-Insulated Underground Feeder and Branch-Circuit Cables      |
| UL 495       | Power-Operated Dispensing Devices for LP-Gas                              |
| UL 496       | Edison Base Lampholders   |
| UL 497       | Protectors for Paired Conductor Communications Circuits                   |
| UL 497A      | Secondary Protectors for Communication Circuits                           |
| UL 497B      | Protectors for Data Communication and Fire Alarm Circuits                 |
| UL 497C      | Protectors for Coaxial Communications Circuits                            |
| UL 498       | Electrical Attachment Plugs and Receptacles                               |
| UL 498A      | Current Taps and Adapters   |
| UL 499       | Electric Heating Appliances   |
| UL 506       | Specialty Transformers  |
| UL 507       | Electric Fans   |
| UL 508       | Electric Industrial Control Equipment                                     |
| UL 508A      | Industrial Control Equipment  |
| UL 508C      | Power Conversion Equipment  |
| UL 510       | Insulating Tape   |
| UL 514A      | Metallic Outlet Boxes, Electrical   |
| UL 514B      | Fittings for Conduit and Outlet Boxes                                     |

| 1       | 1  |
|---------|--|
| UL 514C | Nonmetallic Outlet Boxes, Flush-Device Boxes and Covers                          |
| UL 514D | Cover Plates for Flush-Mounted Wiring Devices                                    |
| UL 515  | Electrical Resistance Heat Tracing for Commercial and Industrial Applications    |
| UL 521  | Heat Detectors for Fire Protective Signaling Systems                             |
| UL 525  | Flame Arresters for Use on Vents of Storage Tanks for Petroleum Oil and Gasoline |
| UL 536  | Flexible Metallic Hose   |
| UL 539  | Single and Multiple Station Heat Alarms  |
| UL 541  | Refrigerated Vending Machines  |
| UL 542  | Lampholders, Starters, and Starter Holders for Fluorescent Lamps                 |
| UL 551  | Transformer-Type Arc-Welding Machines  |
| UL 555  | Fire Dampers   |
| UL 555S | Smoke Dampers  |
| UL 558  | Industrial Trucks, Internal Combustion Engineer-Powered                          |
| UL 561  | Floor-Finishing Machines   |
| UL 563  | Ice Makers   |
| UL 565  | Standard for Liquid-Level Gauges for Anhydrous Ammonia and LP-Gas                |
| UL 567  | Pipe Connectors for Flammable and Combustible Liquids and LP Gas                 |
| UL 568  | Nonmetallic Cable Tray Systems   |
| UL 574  | Electric Oil Heaters   |
| UL 583  | Electric-Battery-Powered Industrial Trucks                                       |
| UL 588  | Christmas-Tree and Decorative-Lighting Outfits                                   |
| UL 603  | Power Supplies for Use with Burglar-Alarm Systems                                |
| UL 606  | Linings and Screens for Use with Burglar-Alarm Systems                           |

|         | ı,   |
|---------|--|
| UL 609  | Local Burglar-Alarm Units and Systems  |
| UL 621  | Ice Cream Makers   |
| UL 626  | 2 1/2 Gallon Stored-Pressure, Water-Type Fire Extinguisher   |
| UL 634  | Connectors and Switches for Use with Burglar-Alarm Systems   |
| UL 635  | Insulating Bushings  |
| UL 636  | Holdup Alarm Units and Systems   |
| UL 639  | Intrusion-Detection Units  |
| UL 641  | Low-Temperature Venting Systems, Type L  |
| UL 644  | Container Assemblies for LP-Gas  |
| UL 651  | Schedule 40 and 80 PVC Conduit   |
| UL 651A | 40 and 80 High Density Polyethylene (HDPE) Conduit   |
| UL 664  | Commercial Dry-Cleaning Machines (Type IV)   |
| UL 668  | Hose Valves For Fire Protection Service  |
| UL 674  | Electric Motors and Generators for Use in Hazardous Locations, Class I, Groups C and D, Class II, Groups E, F, and G |
| UL 676  | Underwater Lighting Fixtures   |
| UL 681  | Installation and Classification of Burglar and Holdup Alarm Systems  |
| UL 696  | Electric Toys  |
| UL 697  | Toy Transformers   |
| UL 698A | Industrial Control Panels Relating to Hazardous (Classified) Locations   |
| UL 705  | Power Ventilators  |
| UL 710  | Grease Extractors for Exhaust Ducts  |
| UL 711  | Rating and Fire Testing of Fire Extinguishers  |
| UL 719  | Nonmetallic Sheathes Cables  |

| UL 726      | Oil-Fired Boiler Assemblies   |
|-------------|---|
| UL 727      | Oil-Fired Central Furnaces  |
| UL 729      | Oil-Fired Floor Furnaces  |
| UL 730      | Oil-Fired Wall Furnaces   |
| UL 731      | Oil-Fired Unit Heaters  |
| UL 732      | Oil-Fired Water Heaters   |
| UL 733      | Oil-Fired Air Heaters and Direct-Fired Heaters                                |
| UL 745-2-3  | Particular Requirements for Grinders, Polishers, and Disk-Type Sanders        |
| UL 745-2-14 | Particular Requirements for Planers   |
| UL 745-2-31 | Particular Requirements for Diamond Core Drills                               |
| UL 745-2-32 | Particular Requirements for Magnetic Drill Presses                            |
| UL 745-2-35 | Particular Requirements for Drain Cleaners                                    |
| UL 749      | Household Electric Dishwashers  |
| UL 751      | Vending Machines  |
| UL 756      | Coin and Currency Changers and Actuators                                      |
| UL 763      | Motor-Operated Commercial Food Preparing Machines                             |
| UL 773      | Plug-In, Locking Type Photocontrols for Use with Area Lighting                |
| UL 773A     | Nonindustrial Photoelectric Switches for Lighting Control                     |
| UL 775      | Graphic Arts Equipment  |
| UL 778      | Motor-Operated Water Pumps  |
| UL 783      | Electric Flashlights and Lanterns for Use in Hazardous (Classified) Locations |
| UL 789      | Indicator Posts for Fire-Protection Service                                   |
| UL 791      | Residential Incinerators  |

| UL 795  | Commercial-Industrial Gas-Heating Equipment                            |
|---------|--|
| UL 797  | Electrical Metallic Tubing   |
| UL 797A | Electrical Metallic Tubing - Aluminum                                  |
| UL 810  | Capacitors   |
| UL 813  | Commercial Audio Equipment   |
| UL 814  | Gas-Tube-Sign and Ignition Cable                                       |
| UL 817  | Cord Sets and Power-Supply Cords                                       |
| UL 823  | Electric Heaters for Use in Hazardous (Classified) Locations           |
| UL 826  | Household Electric Clocks  |
| UL 827  | Central-Stations for Watchman, Fire-Alarm, and Supervisory Services    |
| UL 834  | Heating, Water Supply, and Power Boilers - Electric                    |
| UL 842  | Valves for Flammable Liquids   |
| UL 844  | Electric Lighting Fixtures for Use in Hazardous (Classified) Locations |
| UL 845  | Motor Control Centers  |
| UL 854  | Service-Entrance Cables  |
| UL 857  | Electric Busways and Associated Fittings                               |
| UL 858  | Household Electric Ranges  |
| UL 858A | Safety-Related Solid-State Controls for Household Electric Ranges      |
| UL 859  | Personal Grooming Appliances   |
| UL 863  | Time-Indicating and - Recording Appliances                             |
| UL 864  | Control Units and Accessories for Fire Alarm Systems                   |
| UL 867  | Electrostatic Air Cleaners   |
| UL 869A | Standard for Service Equipment   |

| I       |  |
|---------|--|
| UL 870  | Wireways, Auxiliary Gutters, and Associated Fittings   |
| UL 873  | Electrical Temperature-Indicating and Regulating Equipment   |
| UL 875  | Electric Dry Bath Heaters  |
| UL 879  | Electrode Receptacles for Gas-Tube Signs   |
| UL 884  | Underfloor Raceways and Fittings   |
| UL 891  | Dead-Front Electrical Switchboards   |
| UL 896  | Oil-Burning Stoves   |
| UL 913  | Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous Locations |
| UL 916  | Energy Management Equipment  |
| UL 917  | Clock-Operated Switches  |
| UL 921  | Commercial Electric Dishwashers  |
| UL 923  | Microwave Cooking Appliances   |
| UL 924  | Emergency Lighting and Power Equipment   |
| UL 935  | Fluorescent-Lamp Ballasts  |
| UL 943  | Ground-Fault Circuit Interrupters  |
| UL 943B | Appliance Leakage-Current Interrupters   |
| UL 961  | Hobby and Sports Equipment   |
| UL 962A | Standard for Furniture Power Distribution Units  |
| UL 963  | Sealing, Wrapping, and Marking Equipment   |
| UL 964  | Electrically Heated Bedding  |
| UL 977  | Fuse Power-Circuit Devices   |
| UL 979  | Water Treatment Appliances   |
| UL 982  | Motor-Operated Household Food Preparing Machines   |

| 1         | 1  |
|-----------|--|
| UL 984    | Hermetic Refrigerant Motor-Compressors                 |
| UL 985    | Household Fire Warning System Units                    |
| UL 987    | Stationary and Fixed Electric Tools                    |
| UL 991    | Safety-Related Controls Employing Solid-State Devices  |
| UL 998    | Humidifiers  |
| UL 1004-1 | Rotating Electrical Machines                           |
| UL 1008   | Automatic Transfer Switches                            |
| UL 1012   | Power Supplies   |
| UL 1017   | Electric Vacuum Cleaner Machines and Blower Cleaners   |
| UL 1018   | Electric Aquarium Equipment                            |
| UL 1022   | Line Isolated Monitors                                 |
| UL 1023   | Household Burglar-Alarm System Units                   |
| UL 1026   | Household Electric Cooking and Food-Serving Appliances |
| UL 1028   | Electric Hair-Clipping and -Shaving Appliances         |
| UL 1029   | High-Intensity Discharge Lamp Ballasts                 |
| UL 1034   | Burglary Resistant Electric Locking Mechanisms         |
| UL 1030   | Sheathed Heating Elements                              |
| UL 1037   | Antitheft Alarms and Devices                           |
| UL 1042   | Electric Baseboard Heating Equipment                   |
| UL 1047   | Isolated Power Systems Equipment                       |
| UL 1053   | Ground-Fault Sensing and Relaying Equipment            |
| UL 1054   | Special-Use Switches                                   |
| UL 1058   | Halogenated Agent Extinguishing System Units           |

| I       | 1  |
|---------|--|
| UL 1059 | Electrical Terminal Blocks   |
| UL 1062 | Unit Substations   |
| UL 1063 | Machine-Tool Wires and Cables  |
| UL 1066 | Low-Voltage AC and DC Power Circuit Breakers Used in Enclosures  |
| UL 1069 | Hospital Signaling and Nurse-Call System   |
| UL 1072 | Medium Voltage Cables  |
| UL 1076 | Proprietary Burglar Alarm Units and Systems  |
| UL 1077 | Supplementary Protectors for Use in Electrical Equipment   |
| UL 1081 | Electric Swimming Pool Pumps, Filters, and Chlorinators  |
| UL 1082 | Household Electric Coffee Makers and Brewing-Type Appliances   |
| UL 1083 | Household Electric Skillets and Frying-Type Appliances   |
| UL 1086 | Household Trash Compactors   |
| UL 1088 | Temporary Lighting Strings   |
| UL 1090 | Electric Snow Movers   |
| UL 1203 | Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations |
| UL 1206 | Electrical Commercial Clothes-Washing Equipment  |
| UL 1230 | Amateur Movie Lights   |
| UL 1236 | Electric Battery Chargers  |
| UL 1238 | Control Equipment for Use with Flammable Liquid Despensing Devices                                       |
| UL 1240 | Electric Commercial Clothes-Drying Equipment   |
| UL 1241 | Junction Boxes for Swimming Pool Lighting Fixtures   |
| UL 1242 | Intermediate Metal Conduit   |
| UL 1247 | Diesel Engines for Driving Centrifugal Fire Pumps  |

| 1       | 1   |
|---------|---|
| UL 1248 | Engine-Generator Assemblies for Use in Recreational Vehicles                    |
| UL 1254 | Pre-Engineered Dry Chemical Extinguishing System Units                          |
| UL 1261 | Electric Water Heaters for Pools and Tubs                                       |
| UL 1277 | Electrical Power and Control Tray Cables with Optional Optical-Fiber Members    |
| UL 1278 | Movable and Wall - or Ceiling-Hung Electric Room Heaters                        |
| UL 1283 | Electromagnetic-Interference Filter   |
| UL 1286 | Office furnishings  |
| UL 1310 | Direct Plug-In Transformer Units  |
| UL 1313 | Nonmetallic Safety Cans for Petroleum Products                                  |
| UL 1316 | Glass-Fiber-Reinforced Plastic Underground Storage Tanks for Petroleum Products |
| UL 1322 | Fabricated Scaffold Planks and Stages   |
| UL 1323 | Scaffold Hoists   |
| UL 1363 | Relocatable Power Taps  |
| UL 1419 | Professional Video and Audio Equipment  |
| UL 1424 | Cables for Power-Limited Fire-Protective-Signaling Circuits                     |
| UL 1425 | Cables for Non-Power-Limited Fire-Alarm Circuits                                |
| UL 1429 | Pullout Switches  |
| UL 1431 | Personal Hygiene and Health Care Appliances                                     |
| UL 1434 | Thermistor-Type Devices   |
| UL 1436 | Outlet Circuit Testers and Similar Indicating Devices                           |
| UL 1437 | Electrical Analog Instruments - Panel Board Types                               |
| UL 1447 | Electric Lawn Mowers  |
| UL 1449 | Transient Voltage Surge Suppressors   |

| 1       | 1   |
|---------|---|
| UL 1450 | Motor-Operated Air Compressors, Vacuum Pumps and Painting Equipment |
| UL 1453 | Electric Booster and Commercial Storage Tank Water Heaters          |
| UL 1468 | Direct Acting Pressure Reducing and Pressure Restricting Valves     |
| UL 1472 | Solid-State Dimming Controls  |
| UL 1480 | Speakers for Fire Protective Signaling Systems                      |
| UL 1481 | Power Supplies for Fire Protective Signaling Systems                |
| UL 1482 | Solid Fuel Room Type Heaters  |
| UL 1484 | Residential Gas Detectors   |
| UL 1492 | Audio-Video Products and Accessories                                |
| UL 1557 | Electrically Isolated Semiconductor Devices                         |
| UL 1558 | Metal-Enclosed Low-Voltage Power Circuit Breaker Switchgear         |
| UL 1559 | Insect-Control Equipment, Electrocution Type                        |
| UL 1561 | Large General Purpose Transformers                                  |
| UL 1562 | Transformers, Distribution, Dry-Type - Over 600 Volts               |
| UL 1563 | Electric Hot Tubs, Spas, and Associated Equipment                   |
| UL 1564 | Industrial Battery Chargers   |
| UL 1565 | Wire Positioning Devices  |
| UL 1567 | Receptacles and Switches for Use With Aluminum Wire                 |
| UL 1569 | Metal-Clad Cables   |
| UL 1573 | Stage and Studio Lighting Units                                     |
| UL 1574 | Track Lighting Systems  |
| UL 1577 | Optical Isolaters   |
| UL 1581 | Reference Standard for Electrical Wires, Cables, and Flexible Cords |

| UL 1594 | Sowing and Cutting Machines  |
|---------|--|
| OL 1594 | Sewing and Cutting Machines  |
| UL 1598 | Luminaires   |
| UL 1610 | Central-Station Burglar-Alarm Units                                  |
| UL 1635 | Digital Alarm Communicator System Units                              |
| UL 1637 | Home Health Care Signaling Equipment                                 |
| UL 1638 | Visual Signaling Appliances  |
| UL 1640 | Portable Power Distribution Units                                    |
| UL 1647 | Motor-Operated Massage and Exercise Machines                         |
| UL 1651 | Optical Fiber Cable  |
| UL 1653 | Electrical Nonmetallic Tubing  |
| UL 1655 | Community-Antenna Television Cables                                  |
| UL 1660 | Liquid-Tight Flexible Nonmetallic Conduit                            |
| UL 1662 | Electric Chain Saws  |
| UL 1673 | Electric Space Heating Cables  |
| UL 1676 | Discharge Path Resistors   |
| UL 1681 | Wiring Device Configurations   |
| UL 1682 | Plugs, Receptacles, and Cable Connectors, of the Pin and Sleeve Type |
| UL 1690 | Data-Processing Cables   |
| UL 1691 | Single Pole Locking-Type Separable Connectors                        |
| UL 1693 | Electric Radiant Heating Panels and Heating Panel Sets               |
| UL 1699 | Arc-Fault Circuit-Interrupters                                       |
| UL 1703 | Flat Plate Photovoltaic Modules and Panels                           |
| UL 1711 | Amplifiers for Fire Protective Signaling Systems                     |

| I       |   |
|---------|---|
| UL 1727 | Commercial Electric Personal Grooming Appliances  |
| UL 1730 | Smoke Detector Monitors and Accessories for Individual Living Units of Multifamily Residences and Hotel/Motel Rooms |
| UL 1738 | Venting Systems for Gas-Burning Appliances, Categories II, III, and IV  |
| UL 1740 | Industrial Robots and Robotic Equipment   |
| UL 1741 | Inverters, Converters, Controllers and Interconnection System Equipment for Use With Distributed Energy Resources   |
| UL 1769 | Standard for Cylinder Valves  |
| UL 1773 | Termination Boxes   |
| UL 1776 | High-Pressure Cleaning Machines   |
| UL 1778 | Uninterruptible Power Supply Equipment  |
| UL 1786 | Nightlights   |
| UL 1795 | Hydromassage Bathtubs   |
| UL 1812 | Ducted Heat Recovery Ventilators  |
| UL 1815 | Nonducted Heat Recovery Ventilators   |
| UL 1821 | Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service   |
| UL 1838 | Low Voltage Landscape Lighting Systems  |
| UL 1863 | Communication Circuit Accessories   |
| UL 1876 | Isolating Signal and Feedback Transformers for Use in Electronic Equipment  |
| UL 1887 | Fire Test of Plastic Sprinkler Pipe for Flame and Smoke Characteristics   |
| UL 1889 | Commercial Filters for Cooking Oil  |
| UL 1917 | Solid-State Fan Speed Controls  |
| UL 1951 | Electric Plumbing Accessories   |
| UL 1963 | Refrigerant Recovery/Recycling Equipment  |
| UL 1971 | Signaling Devices for the Hearing Impaired  |

| UL 1977    | Component Connectors for Use in Data, Signal, Control and Power Applications                     |
|------------|--|
| UL 1981    | Central Station Automation Systems   |
| UL 1990    | Standard for Nonmetallic Underground Conduit with Conductors                                     |
| UL 1993    | Self-Ballasted Lamps and Lamp Adapters   |
| UL 1994    | Low-Level Path Marking and Lighting Systems  |
| UL 1995    | Heating and Cooling Equipment  |
| UL 1996    | Duct Heaters   |
| UL 2017(2) | General Purpose Signaling Devices and Systems  |
| UL 2021    | Fixed and Location-Dedicated Electric Room Heaters   |
| UL 2024    | Optical Fiber Cable Raceway  |
| UL 2034    | Single and Multiple Station Carbon Monoxide Detectors  |
| UL 2044    | Commercial Closed Circuit Television Equipment   |
| UL 2061    | Standard for Adapters and Cylinder Connection Devices for Portable LP-Gas<br>Cylinder Assemblies |
| UL 2089(3) | Vehicle Battery Adapters   |
| UL 2096    | Commercial/Industrial Gas and/or Gas Fired Heating Assemblies with Emission Reduction Equipment  |
| UL 2097    | Double Insulation Systems for Use in Electronic Equipment  |
| UL 2108    | Standard for Low Voltage Lighting Systems  |
| UL 2111    | Overheating Protection for Motors  |
| UL 2127    | Inert Gas Clean Agent Extinguishing System Unit  |
| UL 2129    | Halocarbon Clean Agent Fire Extinguishers  |
| UL 2157    | Electric Clothes Washing Machines and Extractors   |
| UL 2158    | Electric Clothes Dryers  |
| UL 2161    | Neon Transformers and Power Supplies   |

|            | 1   |
|------------|---|
| UL 2166    | Halocarbon Clean Agent Extinguishing System Units   |
| UL 2200    | Stationary Engine Generator Assemblies  |
| UL 2202    | Electric Vehicle (EV) Charging System Equipment   |
| UL 2227    | Overfilling Prevention Devices  |
| UL 2238    | Standard for Cable Assemblies and Fittings for Industrial Control and Signal Distribution |
| UL 2250    | Instrumentation Tray Cable  |
| UL 2305    | Standard for Exhibition Display Units, Fabrication and Installation                       |
| UL 2388    | Flexible Lighting Products  |
| UL 2420    | Belowground Reinforced Thermosetting Resin Conduit (RTRC) and Fittings                    |
| UL 2438    | Standard for Outdoor Seasonal-Use Cord-Connected Wiring Devices                           |
| UL 2515    | Aboveground Reinforced Thermosetting Resin Conduit (RTRC) and Fittings                    |
| UL 4248-1  | Fuseholders - Part 1: General Requirements  |
| UL 4248-4  | Fuseholders - Part 4: Class CC  |
| UL 4248-5  | Fuseholders - Part 5: Class G   |
| UL 4248-6  | Fuseholders - Part 6: Class 6   |
| UL 4248-8  | Fuseholders - Part 8: Class J   |
| UL 4248-9  | Fuseholders - Part 9: Class K   |
| UL 4248-11 | Fuseholders - Part 11: Type C (Edison Base) and Type S Plug Fuse                          |
| UL 4248-12 | Fuseholders - Part 12: Class R  |
| UL 4248-15 | Fuseholders - Part 15: Class T  |
| UL 5085-1  | Low Voltage Transformers - Part 1: General Requirements                                   |
| UL 5085-2  | Low Voltage Transformers - Part 2: General Purpose Transformers                           |
| UL 5085-3  | Low Voltage Transformers - Part 3: Class 2 and Class 3 Transformers                       |

| UL 6500       | Audio/Visual and Musical Instrument Apparatus for Household, Commercial, and Similar General Use   |
|---------------|--|
| UL 60065      | Audio, Video and Similar Electronic Apparatus.   |
| UL 60079-0    | Explosive Atmospheres - Part 0: Equipment - General Requirements   |
| UL 60079-1    | Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures "d"  |
| UL 60079-2    | Explosive Atmospheres - Part 2: Equipment Protection by Pressurized Enclosures "p"   |
| UL 60079-5    | Explosive Atmospheres - Part 5: Equipment Protection by Powder Filling "q"   |
| UL 60079-6    | Explosive Atmospheres - Part 6: Equipment Protection by Liquid Immersion "o"   |
| UL 60079-7    | Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e"   |
| UL 60079-11   | Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i"  |
| UL 60079-15   | Explosive Atmospheres - Part 15: Equipment Protection by Type of Protection "n"  |
| UL 60079-18   | Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m"   |
| UL 60079-26   | Explosive Atmospheres - Part 26: Equipment for Use in Class I, Zone 0 Hazardous (Classified) Locations   |
| UL 60335-1    | Safety of Household and Similar Electrical Appliances, Part 1: General Requirements  |
| UL 60335-2-3  | Household and Similar Electrical Appliances, Part 2: Particular Requirements for Electric Irons  |
| UL 60335-2-8  | Household and Similar Electrical Appliances, Part 2: Particular Requirements for Shavers, Hair Clippers, and Similar Appliances  |
| UL 60335-2-34 | Household and Similar Electrical Appliances, Part 2; Particular Requirements for Motor-Compressors   |
| UL 60601-1    | Medical Electrical Equipment, Part 1: General Requirements for Safety  |
| UL 60730-1A   | Automatic Electrical Controls for Household and Similar Use; Part 1: General Requirements  |
| UL 60730-2-2  | Standard for Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Motor Protectors   |
| UL 60730-2-3  | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Protectors for Ballasts for Tubular Fluorescent Lamps                     |
| UL 60730-2-4  | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Motor Protectors for Motor Compressors or Hermetic and Semi-Hermetic Type |
| UL 60730-2-6  | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Automatic Electrical Pressure Sensing Controls Including Mechanical Requirements  |

| UL 60730-2-7   | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Timers and Time Switches                    |
|----------------|--|
| UL 60730-2-9   | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Temperature Sensing Controls                |
| UL 60730-2-10A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically-Operated Motor Starting Relays |
| UL 60730-2-11A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Energy Regulators                           |
| UL 60730-2-12A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically-Operated Doors                 |
| UL 60730-2-13A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Humidity Sensing Controls                   |
| UL 60730-2-14  | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electric Actuators                          |
| UL 60730-2-16A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Automatic Electrical Water Level Controls   |
| UL 60745-1     | Hand-Held Motor-Operated Electric Tools - Safety - Part 1: General   |
| UL 60745-2-1   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-1: Particular Requirements for Drills and Impact Drills                            |
| UL 60745-2-2   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-2: Particular Requirements for Screwdrivers and Impact Wrenches                    |
| UL 60745-2-3   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-3: Particular Requirements for Grinders, Polishers and Disk-Type Sanders           |
| UL 60745-2-4   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-4: Particular Requirements for Sanders and Polishers Other Than Disk               |
| UL 60745-2-5   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-5: Particular Requirements for Circular Saws                                       |
| UL 60745-2-6   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-6: Particular Requirements for Hammers   |
| UL 60745-2-8   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-8: Particular Requirements for Shears and Nibblers                                 |
| UL 60745-2-9   | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-9: Particular Requirements for Tappers   |
| UL 60745-2-11  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-11: Particular Requirements for Reciprocating Saws                                 |
| UL 60745-2-12  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-12: Particular Requirements for Concrete Vibrators                                 |
| UL 60745-2-15  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-15: Particular Requirements for Hedge Trimmer                                      |
| UL 60745-2-14  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-14: Particular Requirements for Planers  |
| UL 60745-2-16  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-16: Particular Requirements for Tackers  |
| UL 60745-2-17  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-17: Particular Requirements for Routers and Trimmers                               |

| UL 60745-2-18  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-18: Particular Requirements for Strapping Tools   |
|----------------|---|
| UL 60745-2-19  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-19: Particular Requirements For Jointers  |
| UL 60745-2-20  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-20: Particular Requirements for Band Saws   |
| UL 60745-2-21  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-21: Particular Requirements for Drain Cleaners  |
| UL 60745-2-22  | Hand-Held Motor-Operated Electric Tools - Safety - Part 2-22: Particular Requirements For Cut-Off Machines  |
| UL 60947-1     | Low-Voltage Switchgear and Controlgear - Part 1: General rules  |
| UL 60947-7-1   | Low-Voltage Switchgear and Controlgear - Part 7-1: Ancillary Equipment - Terminal Blocks for Copper Conductors  |
| UL 60947-7-2   | Low-Voltage Switchgear and Controlgear - Part 7-2: Ancillary Equipment - Protective Conductor Terminal Blocks for Copper Conductors   |
| UL 60947-7-3   | Low-Voltage Switchgear and Controlgear - Part 7-3: Ancillary Equipment - Safety Requirements for Fuse Terminal Blocks   |
| UL 60950-1     | Information Technology Equipment - Safety - Part 1: General Requirements  |
| UL 60950-21    | Information Technology Equipment - Safety - Part 21: Remote Power Feeding   |
| UL 60950-23    | Information Technology Equipment - Safety - Part 23: Large Data Storage Equipment   |
| UL 61010-1     | Electrical Equipment for Measurement, Control and Laboratory Use; Part 1: General Requirements  |
| UL 61058-1     | Switch for Appliances   |
| UL 61010-2-010 | Electrical Equipment for Measurement, Control and Laboratory Use - Part 2-010: Particular Requirements for Laboratory Equipment for the Heating of Materials                                |
| UL 61010-2-020 | Electrical Equipment for Measurement, Control, and Laboratory Use - Part 2-020:<br>Particular Requirements for Laboratory Centrifuges   |
| UL 61010-2-030 | Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use - Part 2-030: Particular requirements for testing and measuring circuits                          |
| UL 61010-031   | Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test |
| UL 61010-2-051 | Electrical Equipment for Measurement, Control and Laboratory Use - Part 2-051: Particular Requirements for Laboratory Equipment for Mixing and Stirring                                     |
| UL 61010-2-061 | Electrical Equipment for Measurement, Control and Laboratory Use - Part 2-061: Particular Requirements for Laboratory Atomic Spectrometers with Thermal Atomization and Ionization          |
| UL 62368-1     | Audio/Video, Information and Communication Technology Equipment—Part 1: Safety Requirements   |
| UL 121201      | Nonincendive Electrical Equipment for Use in Class I and Class II, Division 2 and Class III, Divisions 1 and 2 Hazardous (Classified) Locations   |