CODE REVISER USE ONLY

TATE CONSERVATION OF THE STATE

## RULE-MAKING ORDER PERMANENT RULE ONLY

# CR-103P (December 2017) (Implements RCW 34.05.360)

OFFICE OF THE CODE REVISER STATE OF WASHINGTON FILED

DATE: June 30, 2020 TIME: 8:37 AM

WSR 20-14-083

Agency: Department of Labor & Industries (L&I)

#### Effective date of rule:

**Permanent Rules** 

 $\Box$  31 days after filing.

Other (specify) October 29, 2020 (If less than 31 days after filing, a specific finding under RCW 34.05.380(3) is required and should be stated below)

Purpose: The purpose of this rulemaking order is to delay the effective date of the electrical rules adopted under Washington State Register (WSR) 20-11-053 on May 19, 2020. Due to the evolving public health emergency caused by the coronavirus (COVID-19) outbreak, L&I is delaying the implementation of the new electrical rules, until October 29, 2020.

L&I's Electrical Program reviewed the existing rules and new safety codes from the 2020 edition of the National Fire Protection Association (NFPA) 70, the National Electrical Code (NEC) to update rules for consistency with the national safety standards and to consider other rule changes.

Washington's electrical stakeholders were invited to participate in the review of the existing rules, submit proposals for changes to the rules, and provide recommendations to the department on possible rule changes. The state's Electrical Board reviewed proposals and provided advice to the department on adoption of the rules.

This rulemaking will adopt changes to the new safety codes, update and clarify existing rules, make housekeeping and other rule changes identified during the review process and recommended by stakeholders, a Technical Advisory Committee, and the state's Electrical Board to improve public safety.

### Citation of rules affected by this order:

New: None.

Repealed: WAC 296-46B-553

Amended: WAC 296-46B-010, 296-46B-100, 296-46B-110, 296-46B-210, 296-46B-220, 296-46B-225, 296-46B-250, 296-46B-334, 296-46B-555, 296-46B-705, 296-46B-901, 296-46B-906, 296-46B-908, 296-46B-915, 296-46B-920, 296-46B-925, 296-46B-935, 296-46B-940, 296-46B-970, 296-46B-971, and 296-46B-990. Suspended: None.

**Statutory authority for adoption:** Chapter 19.28 RCW, Electricians and Electrical Installations including RCW 19.28.031 and RCW 19.28.251

Other authority: None.

#### PERMANENT RULE (Including Expedited Rule Making)

Adopted under notice filed as <u>WSR 20-07-126</u> on <u>March 18, 2020</u> (date). Describe any changes other than editing from proposed to adopted version: None.

If a preliminary cost-benefit analysis was prepared under RCW 34.05.328, a final cost-benefit analysis is available by contacting:

Name: Alicia Curry

Address: Department of Labor & Industries, Field Services & Public Safety Division, P.O. Box 44400, Olympia, WA 98504-4400

Phone: 360-902-6244 Fax: 360-902-5292 TTY: Email: Alicia.Curry@Lni.wa.gov Web site: https://www.lni.wa.gov/rulemaking-activity/?query=electrical Other<sup>.</sup>

Other:						
Note: If any category is le No descriptive text		ınk, it w	ill be cald	culate	d as zero.	
Count by whole WAC sections onl A section may be c					istory note.	
The number of sections adopted in order to comply	y with:					
Federal statute:	New		Amended		Repealed	
Federal rules or standards:	New		Amended		Repealed	
Recently enacted state statutes:	New		Amended		Repealed	
The number of sections adopted at the request of a	a nongo	vernmenta	l entity:			
	New		Amended		Repealed	
The number of sections adopted on the agency's o	own initi	ative:				
	New		Amended	<u>21</u>	Repealed	<u>1</u>
The number of sections adopted in order to clarify,	, stream	line, or ref	orm agency	procedu	ires:	
	New		Amended	<u>21</u>	Repealed	<u>1</u>
The number of sections adopted using:						
Negotiated rule making:	New		Amended		Repealed	
Pilot rule making:	New		Amended		Repealed	
Other alternative rule making:	New		Amended	<u>21</u>	Repealed	<u>1</u>
Date Adopted: June 30, 2020	S	ignature:				
Name: Joel Sacks			ſ	6 Q. (	arth	
Title: Director			P	Julo	Jul	