

Top Cited WAC Code Violation Detail CY 2025				General	Serious & Higher	Total
Orig WAC Abbreviated	Orig WAC Cited	WAC Text	Vios Cited	Vios Cited	Vios Cited	
155-110	296-155-110(2)	WAC 296-155-110 Accident prevention program. (2) You must develop a formal accident-prevention program.	36	28	64	
	296-155-110(3)	WAC 296-155-110 Accident prevention program. (3) The following are the minimal program elements for a	6	1	7	
	296-155-110(5)	WAC 296-155-110 Accident prevention program. (5) Every employer shall conduct crew leader-crew safety	8		8	
	296-155-110(5)(a)	WAC 296-155-110 Accident prevention program. (5) Every employer shall conduct crew leader-crew safety	16	2	18	
	296-155-110(6)	WAC 296-155-110 Accident prevention program. (6) Crew leader-crew safety meetings shall address the	25	2	27	
	296-155-110(6)(a)	WAC 296-155-110 Accident prevention program. (6) Crew leader-crew safety meetings shall address the f	1		1	
	296-155-110(6)(d)	WAC 296-155-110 Accident prevention program. (6) Crew leader-crew safety meetings shall address the	5		5	
	296-155-110(6)(e)	WAC 296-155-110 Accident prevention program. (6) Crew leader-crew safety meetings shall address th	9		9	
	296-155-110(7)	WAC 296-155-110 Accident prevention program. (7) Minutes of each crew leader-crew meeting shall be p	17	2	19	
	296-155-110(8)	WAC 296-155-110 Accident prevention program. (8) Minutes of crew leader-crew safety meetings shall b	2		2	
	296-155-110(9)	WAC 296-155-110 Accident prevention program. (9) Every employer shall conduct walk-around safety ins	17	1	18	
	296-155-110(9)(a)	WAC 296-155-110 Accident prevention program. (9) Every employer shall conduct walk-around safety ir	10		10	
	296-155-110(9)(b)	WAC 296-155-110 Accident prevention program. (9) Every employer shall conduct walk-around safety in	50	7	57	
	Total		202	43	245	
880-100	296-880-10005(2)(a)	WAC 296-880-10005 General requirements. (2) Inspection criteria. (a) The employer must inspect all com		1	1	
	296-880-10010(3)	WAC 296-880-10010 Fall protection required regardless of height. (3) Regardless of height the employer m		2	2	
	296-880-10015(1)	WAC 296-880-10015 Training. (1) Provide fall protection training for employees exposed to fall hazards. Th	2	3	5	
	296-880-10015(2)	WAC 296-880-10015 Training. (2) Each affected employee must be trained by a competent person to know	1	2	3	
	296-880-10015(5)	WAC 296-880-10015 Training. (5) Document fall protection training. Document in writing that each employ	12	1	13	
	296-880-10020(1)	WAC 296-880-10020 Fall protection work plan required at ten feet or more. (1) The employer must develo	7	57	64	
	296-880-10020(2)	WAC 296-880-10020 Fall protection work plan required at ten feet or more. (2) The fall protection work pl	7	19	26	
	Total		29	85	114	
880-200	296-880-20005(1)	WAC 296-880-20005 Fall protection required at four feet or more. (1) Walking/working surfaces with unpr		24	24	
	296-880-20005(3)(a)	WAC 296-880-20005 Fall protection required at four feet or more. (3) Holes. (a) The employer must prote		2	2	
	296-880-20005(3)(b)	WAC 296-880-20005 Fall protection required at four feet or more. (3) Holes. (b) The employer must guar		2	2	
	296-880-20005(4)	WAC 296-880-20005 Fall protection required at four feet or more. (4) Guarding of openings. The employer		3	3	
	296-880-20005(6)	WAC 296-880-20005 Fall protection required at four feet or more. (6) Fall protection on steep pitched roof		45	45	
	296-880-20005(7)	WAC 296-880-20005 Fall protection required at four feet or more. (7) Fall protection on low pitched roofs.		13	13	
	Total			89	89	
155-120	296-155-120(1)	WAC 296-155-120 First-aid training and certification. This section is designed to assure that all employees	58	6	64	
	296-155-120(2)	WAC 296-155-120 First-aid training and certification. This section is designed to assure that all employees	16	2	18	
		Total	74	8	82	
62-077	296-62-07709(1)(a)	WAC 296-62-07709 Exposure assessment and monitoring. (1) General monitoring criteria. (a) Each emp	1		1	
	296-62-07709(3)(a)(ii)	WAC 296-62-07709 Exposure assessment and monitoring. (3) Exposure assessment monitoring requirem		4	4	
	296-62-07711(1)	WAC 296-62-07711 Regulated areas. (1) General. The employer must establish a regulated area in work		5	5	
	296-62-07711(2)	WAC 296-62-07711 Regulated areas. (2) Demarcation. The regulated area must be demarcated in any ma		1	1	
	296-62-07712(11)(a)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (11) Work pra		1	1	
	296-62-07712(11)(c)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (11) Work pra		1	1	
	296-62-07712(2)(a)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (2) Engineerin		2	2	
	296-62-07712(2)(c)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (2) Engineerin		3	3	
	296-62-07712(2)(d)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (2) Engineerin		1	1	
	296-62-07712(4)(c)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (4) Prohibition		1	1	
	296-62-07712(6)(a)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (6) Class I req		1	1	
	296-62-07712(6)(b)(i)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (6) Class I requ		2	2	
	296-62-07712(7)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (7) Specific c		2	2	
	296-62-07712(9)(a)	WAC 296-62-07712 Requirements for asbestos activities in construction and shipyard work. (9) Work prac		1	1	
	296-62-07715(1)(g)	WAC 296-62-07715 Respiratory protection. (1) General. For employees who use respirators required by W		3	3	
	296-62-07715(3)(b)	WAC 296-62-07715 Respiratory protection (3) Respirator selection. The employer must: (b) Provide emp		1	1	
	296-62-07715(4)(a)	WAC 296-62-07715 Respiratory protection (4) Special respiratory protection requirements. (a) Unless sp		1	1	
	296-62-07715(4)(b)	WAC 296-62-07715 Respiratory protection (4) Special respiratory protection requirements. (b) For all Cla		1	1	
	296-62-07717(1)	WAC 296-62-07717 Protective work clothing and equipment (1) Provision and use. If an employee is expo		6	6	
	296-62-07719(2)(a)	WAC 296-62-07719 Hygiene facilities and practices (2) Showers. (a) The employer must ensure that empl		1	1	
	296-62-07719(3)(a)(i)(B)	WAC 296-62-07719 Hygiene facilities and practices (3) Special requirements in addition to the other provi		1	1	
	296-62-07719(3)(b)(i)	WAC 296-62-07719 Hygiene facilities and practices (3) Special requirements in addition to the other provi		4	4	
	296-62-07721(1)(c)(ii)(A)	WAC 296-62-07721 Communication of hazards. (1) Communication of hazards to employees - Introduction		1	1	
296-62-07721(2)(b)(ii)	WAC 296-62-07721 Communication of hazards. (2) Communication of hazards to employees. Requirement		5	5		
296-62-07721(2)(b)(iii)	WAC 296-62-07721 Communication of hazards. (2) Communication of hazards to employees. Requirement		1	1		
296-62-07721(2)(c)(iii)	WAC 296-62-07721 Communication of hazards. (2) Communication of hazards to employees. Requirement		1	1		

Top Cited WAC Code Violation Detail CY 2025				General	Serious & Higher	Total
Orig WAC Abbreviated	Orig WAC Cited	WAC Text	Vios Cited	Vios Cited	Vios Cited	
	296-62-07721(2)(e)	WAC 296-62-07721 Communication of hazards. (2) Communication of hazards to employees. Requiremen		7	7	
	296-62-07721(5)(a)	WAC 296-62-07721 Communication of hazards. (5) Warning labels. (a) Labeling. Labels must be affixed t	1		1	
	296-62-07722(1)(a)	WAC 296-62-07722 Employee information and training. (1) Certification. (a) Only certified asbestos worke		2	2	
	296-62-07722(1)(b)	WAC 296-62-07722 Employee information and training. (1) Certification. (b) Only certified asbestos super		2	2	
	296-62-07722(1)(c)	WAC 296-62-07722 Employee information and training. (1) Certification. (c) In cases where certification i	1	3	4	
	296-62-07722(3)(a)	WAC 296-62-07722 Employee information and training. (3) Asbestos projects. (a) Class I work must be cc		2	2	
	296-62-07722(3)(b)	WAC 296-62-07722 Employee information and training. (3) Asbestos projects. (b) Only certified workers m		1	1	
	296-62-07722(3)(c)(i)	WAC 296-62-07722 Employee information and training. (3) Asbestos projects. (c) Only certified asbestos		1	1	
	296-62-07722(4)(c)(i)	WAC 296-62-07722 Employee information and training. (4) Training requirements for asbestos work that i	2	1	3	
	296-62-07722(6)	WAC 296-62-07722 Employee information and training. (6) The employer must also provide, at no cost to	1		1	
	296-62-07723(1)	WAC 296-62-07723 Housekeeping. (1) All surfaces must be maintained as free as practicable of accumulati		1	1	
	296-62-07723(6)	WAC 296-62-07723 Housekeeping. (6) Waste disposal. Waste, scrap, debris, bags, containers, equipment,		1	1	
	296-62-07728(4)	WAC 296-62-07728 Competent person. (4) On all worksites where employees are engaged in Class I or II a:		1	1	
	Total		7	72	79	
880-300	296-880-30005(1)(a)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter :		35	35	
	296-880-30005(1)(b)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter :		10	10	
	296-880-30005(2)(a)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter :		9	9	
	296-880-30010(2)	WAC 296-880-30010 Order pickers (PITS). This section applies to powered industrial trucks under the scop		1	1	
	296-880-30015(2)	WAC 296-880-30015 Elevating work platforms. (2) This subsection applies to vehicle mounted aerial device		1	1	
	296-880-30015(4)	WAC 296-880-30015 Elevating work platforms. (4) This subsection applies to boom supported elevating wc		2	2	
	296-880-30030(1)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope		3	3	
	Total			61	61	
876-400	296-876-40015(1)	WAC 296-876-40015 Support. (1) You must place the ladder either: (a) With a secure footing on a firm, le		6	6	
	296-876-40020(1)	WAC 296-876-40020 Set-up. (1) You must set up non-self-supporting ladders at a safe angle. The ladder is		3	3	
	296-876-40030(1)	WAC 296-876-40030 Getting on and off ladders at upper levels. (1) You must make sure a ladder used to a		29	29	
	296-876-40030(2)	WAC 296-876-40030 Getting on and off ladders at upper levels. (2) You must do the following if a ladder u		4	4	
	296-876-40050(1)	WAC 296-876-40050 Self-supporting ladders. (1) You must make sure self-supporting ladders are not used		8	8	
	296-876-40050(4)(a)	WAC 296-876-40050 Self-supporting ladders. (4) You must prohibit standing or stepping on the: (a) Top c		10	10	
	Total			60	60	
155-655	296-155-655(10)(a)	WAC 296-155-655 General protection requirements. (10) Protection of employees from loose rock or soil. (i		1	1	
	296-155-655(10)(b)	WAC 296-155-655 General protection requirements. (10) Protection of employees from loose rock or soil.		3	4	
	296-155-655(11)(a)	WAC 296-155-655 General protection requirements. (11) Inspections. (a) Daily inspections of excavations		9	9	
	296-155-655(11)(b)	WAC 296-155-655 General protection requirements. (11) Inspections. (b) Where the competent person finc		4	4	
	296-155-655(12)(a)	WAC 296-155-655 General protection requirements. (12) Fall protection. (a) You must provide walkways		2	2	
	296-155-655(12)(b)	WAC 296-155-655 General protection requirements. (12) Fall protection. (b) Adequate barrier physical pr		1	1	
	296-155-655(2)(a)	WAC 296-155-655 General protection requirements. (2) Underground installations. (a) The location of utilit		2	2	
	296-155-655(3)(b)	WAC 296-155-655 General protection requirements. (3) Access and egress. (b) Means of egress from tren		8	8	
	296-155-655(8)(b)	WAC 296-155-655 General protection requirements. (8) Protection from hazards associated with water acc		3	3	
296-155-655(9)(c)	WAC 296-155-655 General protection requirements. (9) Stability of adjacent structures. (c) Sidewalks, pave		1	1		
	Total		1	34	35	
155-350	296-155-350(3)	WAC 296-155-350 General requirements. (3) Personal protective equipment. Employees using hand and		22	22	
	Total			22	22	
155-657	296-155-657(1)(a)	WAC 296-155-657 Requirements for protective systems. (1) Protection of employees in excavations. (a) Y		18	18	
	296-155-657(3)(b)(iii)	WAC 296-155-657 Requirements for protective systems. (3) Design of support systems, shield systems, anc	1		1	
	296-155-657(5)(a)(ii)	WAC 296-155-657 Requirements for protective systems. (5) Installation and removal of support. (a) Ger		1	1	
	Total		1	19	20	
155-305	296-155-305(1)(a)	WAC 296-155-305 Signaling and flaggers. (1) General requirements for signaling and flaggers. (a) Ei	1		1	
	296-155-305(3)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides tempc		2	2	
	296-155-305(4)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides tempc		1	1	
	296-155-305(5)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffi	1		1	
	296-155-305(5)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides tempc		2	2	
	296-155-305(7)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides tempc	1		1	
	296-155-305(7)(b)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides tempc		3	3	
	296-155-305(8)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traf	1		1	
	296-155-305(9)(b)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides tempc		3	3	
	Total		4	11	15	
	296-155-53401(5)	WAC 296-155-53401 Duties of assigned personnel. (5) The site supervisor's duties would include the follow	1	2	3	
	296-155-53401(5)(c)	WAC 296-155-53401 Duties of assigned personnel. (5) The site supervisor's duties would include the follo		1	1	

Top Cited WAC Code Violation Detail CY 2025				General	Serious & Higher	Total
Orig WAC Abbreviated	Orig WAC Cited	WAC Text	Vios Cited	Vios Cited	Vios Cited	
155-534	296-155-53401(5)(e)	WAC 296-155-53401 Duties of assigned personnel. (5) The site supervisor's duties would include the follow		1	1	
	296-155-53401(5)(k)	WAC 296-155-53401 Duties of assigned personnel. (5) The site supervisor's duties would include the follo	1		1	
	296-155-53401(6)	WAC 296-155-53401 Duties of assigned personnel. (6) The lift director's duties would include the following		2	2	
	296-155-53401(7)	WAC 296-155-53401 Duties of assigned personnel. (7) Whenever the crane operator has doubt or concern:		1	1	
	296-155-53405(4)	WAC 296-155-53405 Inspections. (4) The employer must keep monthly inspection records (see items listed	1		1	
	296-155-53408(1)(b)	WAC 296-155-53408 Power Line Safety (1) Assembly and disassembly of crane/derrick. (b) Preventing en		1	1	
	296-155-53414(4)(b)	WAC 296-155-53414 Cranes/derricks with a rated hoisting/lifting capacity of 2,000 pounds or less. (4) Safe		1	1	
	Total		3	9	12	
155-205	296-155-205(2)	WAC 296-155-205 Head protection. (2) All employees must have their individual hard hats on site and rea	2		2	
	296-155-205(3)	WAC 296-155-205 Head protection. (3) All employees shall wear a hard hat on any construction site whe	1	7	8	
	Total		3	7	10	
27-31	296-27-031(1)	WAC 296-27-031 Reporting fatalities, inpatient hospitalizations, amputations, and losses of an eye as the re:	8		8	
	296-27-031(3)(a)	WAC 296-27-031 Reporting fatalities, inpatient hospitalizations, amputations, and losses of an eye as the re:	1		1	
	296-27-031(3)(b)	WAC 296-27-031 Reporting fatalities, inpatient hospitalizations, amputations, and losses of an eye as the re:	1		1	
	Total		10		10	
800-140	296-800-14005(1)	WAC 296-800-14005 Develop a formal, written accident prevention program. (1) You must develop a form:	4	2	6	
	296-800-14020(1)	WAC 296-800-14020 Develop, supervise, implement, and enforce safety and health training programs that a	2		2	
	Total		6	2	8	
155-477	296-155-477(1)(f)(i)	WAC 296-155-477 Stairways. (1) General. The following requirements apply to all stairways as indicated:		4	4	
	296-155-477(3)(a)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairwa		1	1	
	296-155-477(3)(a)(i)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways a		1	1	
	296-155-477(3)(a)(ii)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways a		1	1	
	Total			7	7	
874-200	296-874-20006(1)(b)	WAC 296-874-20006 Maintain structural integrity when intermixing scaffold components. (1) You must m:		1	1	
	296-874-20008(1)	WAC 296-874-20008 Make sure platforms are properly planked or decked. (1) You must fully plank or deck		1	1	
	296-874-20016(2)	WAC 296-874-20016 Stabilize the ends of platforms. (2) You must make sure the cantilevered portion of a		2	2	
	296-874-20034	WAC 296-874-20034 Inspect scaffolds and scaffold components. You must make sure scaffolds and scaffold		2	2	
	296-874-20072(1)	WAC 296-874-20072 Train employees who work on a scaffold. (1) You must have a qualified person train e	1		1	
	Total		1	6	7	
869-200	296-869-20025(2)	WAC 296-869-20025 Operator training. (2) You must cover at least the following items: (a) General instr	1		1	
	296-869-20045(2)	WAC 296-869-20045 Working from the platform. (2) You must make sure persons stand firmly on the floo		2	2	
	296-869-20045(4)	WAC 296-869-20045 Working from the platform. (4) You must make sure all persons on the platform wear		4	4	
	Total		1	6	7	
27-1101	296-27-01101(1)	WAC 296-27-01101 Recording criteria. (1) Employers required to keep records by this chapter must record	6	1	7	
	Total		6	1	7	
842-140	296-842-14005	WAC 296-842-14005 Provide medical evaluations. Follow the medical evaluation process, Steps 1 throug	7		7	
	Total		7		7	
820-820	296-820-820(2)	WAC 296-820-820 Hazard communication. For any worksite covered by WAC 296-820-805 through 296-820	7		7	
	Total		7		7	
65-30	296-65-030(1)(a)	WAC 296-65-030 Methods of compliance. (1) Certified asbestos abatement contractors: (a) Only certified		5	5	
	296-65-030(4)	WAC 296-65-030 Methods of compliance. (4) A certified asbestos supervisor must provide direct, on-s		1	1	
	Total			6	6	
155-176	296-155-17609(1)(a)	WAC 296-155-17609 Exposure assessment. (1) General. (a) Each employer who has a workplace or opera		1	1	
	296-155-17611(2)(a)	WAC 296-155-17611 Methods of compliance. (2) Compliance program. (a) Prior to commencement of the j		1	1	
	296-155-17615(1)	WAC 296-155-17615 Protective work clothing and equipment. (1) Provision and use. Where an employee is		1	1	
	296-155-17621(1)(a)	WAC 296-155-17621 Medical surveillance. (1) General. (a) The employer shall make available initial m	1	1	2	
	296-155-17625(2)	WAC 296-155-17625 Employee Information and Training. (2) Training Program. The employer shall assure t		1	1	
	Total		1	5	6	
155-615	296-155-615(1)(b)	WAC 296-155-615 Material handling equipment. (1) General requirements for earthmoving equipment.		2	2	
	296-155-615(3)(h)	WAC 296-155-615 Material handling equipment. (3) Lifting and hauling equipment (other than equipm		3	3	
	296-155-615(3)(h)(i)	WAC 296-155-615 Material handling equipment. (3) Lifting and hauling equipment (other than equipment		1	1	
	Total			6	6	
155-533	296-155-53302(1)	WAC 296-155-53302 Signal person qualifications. (1) The signal person must meet the qualification requir	2		2	
	296-155-53306(1)	WAC 296-155-53306 Rigger Qualifications. (1) The rigger must meet the qualification requirements (subsec	2	1	3	
	Total		4	1	5	
155-680	296-155-680(10)(a)	WAC 296-155-680 General provisions. (10) Impalement protection and custody. (a) You must guard all pr		5	5	
	Total			5	5	
840-150	296-840-150(3)	WAC 296-840-150 Communication of respirable crystalline silica hazards to employees. (3) Regarding emp	3	2	5	

Top Cited WAC Code Violation Detail CY 2025				General	Serious & Higher	Total
Orig WAC Abbreviated	Orig WAC Cited	WAC Text	Vios Cited	Vios Cited	Vios Cited	
	Total		3	2	5	
863-600	296-863-60005(1)	WAC 296-863-60005 Make sure PIT operators are trained. (1) You must make sure employees successfully		2	2	
	296-863-60005(5)	WAC 296-863-60005 Make sure PIT operators are trained. (5) You must keep written records of operator tr	2		2	
	296-863-60015(3)	WAC 296-863-60015 Evaluate PIT operators performance. You must evaluate PIT operators performance at	1		1	
	Total		3	2	5	
800-320	296-800-32010	WAC 296-800-32010 Make sure equipment involved in a work-related accident is not moved. (1) You must	2	1	3	
	296-800-32020(1)	WAC 296-800-32020 Conduct a preliminary investigation for all serious injuries. (1) You must make sure yo	2		2	
	Total		4	1	5	
842-150	296-842-15005(1)(a)	WAC 296-842-15005 Conduct fit testing. (1) Provide, at no cost to the employee, fit tests for ALL tight fitti		5	5	
	Total			5	5	
155-370	296-155-370(2)	WAC 296-155-370 Woodworking tools. (2) Guarding. All portable, hand held power-driven circular saws s		1	1	
	296-155-370(3)(a)	WAC 296-155-370 Woodworking tools. (3) Hand-fed table saws. (a) Each circular hand-fed table saw shall		1	1	
	296-155-370(3)(e)	WAC 296-155-370 Woodworking tools. (3) Hand-fed table saws. (e) Where a hood-type guard cannot be i		1	1	
	296-155-370(3)(g)	WAC 296-155-370 Woodworking tools. (3) Hand-fed table saws. (g) Each hand-fed circular rip saw shall be		1	1	
	296-155-370(3)(h)	WAC 296-155-370 Woodworking tools. (3) Hand-fed table saws. (h) Each hand-fed circular rip saw shall k		1	1	
	Total			5	5	
840-105	296-840-105(2)	WAC 296-840-105 Exposure assessment. This section applies to all occupational exposures except for task	2	3	5	
	Total		2	3	5	
840-140	296-840-140(1)	WAC 296-840-140 Written exposure control plan. (1) You must establish and implement a written exposu	2	1	3	
	296-840-140(4)(b)	WAC 296-840-140 Written exposure control plan. (4) In addition to the above written exposure control pl	1		1	
	Total		3	1	4	
842-160	296-842-16005(1)	WAC 296-842-16005 Provide effective training. (1) Train employees, based on their duties, if they do any o	1	2	3	
	296-842-16005(4)(a)	WAC 296-842-16005 Provide effective training. (4) Provide training, at no cost to the employee, at these t		1	1	
	Total		1	3	4	
842-110	296-842-11005(2)	WAC 296-842-11005 Make sure voluntary use of respirators is safe. Definition: Voluntary use is respirat	2		2	
	296-842-11005(3)	WAC 296-842-11005 Make sure voluntary use of respirators is safe. (3) Develop and maintain a written prc	2		2	
	Total		4		4	
62-9530	296-62-09530(1)(a)	WAC 296-62-09530 Employer and employee responsibility. (1) Employers of employees exposed to tempe	4		4	
	Total		4		4	
842-120	296-842-12005(1)	WAC 296-842-12005 Develop and maintain a written program. (1) Develop a complete worksite-specific wi		4	4	
	Total			4	4	
874-400	296-874-40032(3)	WAC 296-874-40032 Meet these requirements when using pump jack scaffolds. (3) You must secure poles		4	4	
	Total			4	4	
155-558	296-155-55805(3)	WAC 296-155-55805 Wire rope slings. WAC 2396-155-55805 (Cont.) (3) Identification information. All wire	1		1	
	296-155-55820(2)(b)	WAC 296-155-55820 Synthetic webbing slings. (2) Inspection. (b) A qualified person must perform a visual		3	3	
	Total		1	3	4	
876-300	296-876-30005(1)	WAC 296-876-30005 Condition and inspection. (1) You must keep portable ladders in good, usable conditio		2	2	
	296-876-30005(3)	WAC 296-876-30005 Condition and inspection. (3) You must have employees inspect portable ladders, as f		1	1	
	Total			3	3	
841-200	296-841-20005(1)	WAC 296-841-20005 Exposure evaluations. (1) Conduct an exposure evaluation to determine or reasonabl	3		3	
	Total		3		3	
880-400	296-880-40005(1)	WAC 296-880-40005 Guardrail systems. Guardrail systems and their use must conform to the following prc		3	3	
	Total			3	3	
155-100	296-155-100(1)(c)	WAC 296-155-100 Management's responsibility. (1) It shall be the responsibility of management to establi	1	2	3	
	Total		1	2	3	
863-200	296-863-20010(1)(b)	WAC 296-863-20010 Meet these requirements when modifying or altering PITs. (1) You must have written		2	2	
	296-863-20015(1)	WAC 296-863-20015 Make sure PITs are properly labeled. (1) You must make sure all PIT nameplates as we	1		1	
	Total		1	2	3	
65-20	296-65-020(1)	WAC 296-65-020 Notification requirements. (1) Before any person or individual begins an asbestos proje	3		3	
	Total		3		3	
155-125	296-155-125(2)	WAC 296-155-125 First-aid supplies. (2) All vehicles used to transport work crews must be equipped wit	3		3	
	Total		3		3	
817-200	296-817-20005(1)	WAC 296-817-20005 Conduct employee noise exposure monitoring. (1) You must conduct employee noise	3		3	
	Total		3		3	
876-150	296-876-15005(1)	WAC 296-876-15005 Training. (1) You must train employees to recognize ladder hazards and the procedure	2		2	
	296-876-15005(2)	WAC 296-876-15005 Training. (2) You must have a competent person train employees that use ladders in i	1		1	
	Total		3		3	
	296-800-16005	WAC 296-800-16005 Do a hazard assessment for PPE. You must look for and identify hazards or potential h	1		1	

Top Cited WAC Code Violation Detail CY 2025				General	Serious & Higher	Total
Orig WAC Abbreviated	Orig WAC Cited	WAC Text	Vios Cited	Vios Cited	Vios Cited	
800-160	296-800-16010	WAC 296-800-16010 Document your hazard assessment for PPE. You must verify that a hazard assessment	2		2	
	Total		3		3	
155-200	296-155-200(2)(a)	WAC 296-155-200 General requirements for personal protective equipment (PPE). (2) Minimum clothir	1		1	
	296-155-200(5)(a)	WAC 296-155-200 General requirements for personal protective equipment (PPE). (5) High visibility gar		1	1	
	296-155-200(6)(e)	WAC 296-155-200 General requirements for personal protective equipment (PPE). (6) Payment for PPE. E	1		1	
	Total		2	1	3	
155-40	296-155-040(1)	WAC 296-155-040 Safe place standards. (1) Each employer shall furnish to each employee a place of empl		1	1	
	296-155-040(2)	WAC 296-155-040 Safe place standards. (2) Every employer shall require safety devices, furnish safeguar		2	2	
	Total			3	3	
807-180	296-807-18035	WAC 296-807-18035 Use side handles on vertical and angle grinders. You must use a side handle on all fi		2	2	
	Total			2	2	
800-280	296-800-28010	WAC 296-800-28010 Make sure all electrical equipment is used for its approved or listed purpose. Definitic	1		1	
	296-800-28015	WAC 296-800-28015 Make sure electrical equipment used or located in wet or damp locations is designed fc	1		1	
	Total		2		2	
800-130	296-800-13025(1)	WAC 296-800-13025 Follow these rules to conduct safety meetings. (1) You must do the following for safe	1		1	
	296-800-13025(2)	WAC 296-800-13025 Follow these rules to conduct safety meetings. (2) Your safety committee must cover	1		1	
	Total		2		2	
800-150	296-800-15005	WAC 296-800-15005 Make sure that first-aid trained personnel are available to provide quick and effective	1		1	
	296-800-15020	WAC 296-800-15020 Make sure appropriate first-aid supplies are readily available. (1) You must make sure	1		1	
	Total		2		2	
155-215	296-155-215(1)(a)	WAC 296-155-215 Eye and face protection. (1) General. (a) Employees shall use eye and face protection		2	2	
	Total			2	2	
155-428	296-155-428(5)(a)	WAC 296-155-428 General requirements. (5) Cords and cables. (a) Worn or frayed electric cords or cables sl	1		1	
	296-155-428(7)	WAC 296-155-428 General requirements. (7) Portable electric equipment -- Handling. Portable equipment sl	1		1	
	Total		2		2	
869-500	296-869-50015(1)	WAC 296-869-50015 Operator training records. You must retain records of the operators trained on each i	1		1	
	296-869-50015(2)	WAC 296-869-50015 Operator training records. You must retain records of the operators trained on each i	1		1	
	Total		2		2	
45-255	296-45-255(7)	WAC 296-45-255 Protective equipment. (7) Rubber protective equipment must not be used unless it has	1		1	
	296-45-255(8)	WAC 296-45-255 Protective equipment. (8) Protector gloves must be worn over insulating gloves. Excepti	1		1	
	Total		2		2	
869-400	296-869-40010(2)	WAC 296-869-40010 Inspections. (2) You must make sure frequent and annual inspections are done: (a) I		1	1	
	Total			1	1	
54-5153	296-54-51530(2)(o)	WAC 296-54-51530 First-aid kits. (2) Worksite first-aid kits must contain the following minimum supplies a	1		1	
	Total		1		1	
863-300	296-863-30005(1)	WAC 296-863-30005 Make sure PITs are in safe working condition. (1) You must remove any PIT from servi		1	1	
	Total			1	1	
800-270	296-800-27020	WAC 296-800-27020 Post approved load limits (weight limits) for floors. (1) You must post approved load l		1	1	
	Total			1	1	
54-573	296-54-573(10)	WAC 296-54-573 Logging machines—General. (10) Horns and travel alarms, which are part of the machine	1		1	
	Total		1		1	
54-517	296-54-517(5)	WAC 296-54-517 Lockout/tagout procedures. (5) You must provide padlocks and/or tags for locking and/c	1		1	
	Total		1		1	
869-300	296-869-30015(3)	WAC 296-869-30015 Boom-supported elevating work platforms. Important: This section applies to self-p	1		1	
	Total		1		1	
54-513	296-54-513(9)	WAC 296-54-513 Arrangement of work areas and emergency contact. (9) Each logging worksite must have	1		1	
	Total		1		1	
45-215	296-45-215(21)	WAC 296-45-215 Underground electrical installations. This section provides additional requirements for w		1	1	
	Total			1	1	
54-583	296-54-583(16)	WAC 296-54-583 Loading logs. (16) All of the required wrappers must be placed on the load within sight c	1		1	
	Total		1		1	
45-305	296-45-305(2)(c)	WAC 296-45-305 Live-line tools. (2) Condition of tools. (c) Live-line tools used for primary employee prot	1		1	
	Total		1		1	
803-700	296-803-70005(3)	WAC 296-803-70005 Perform and document periodic reviews to verify employees know and follow the ener	1		1	
	Total		1		1	
840-120	296-840-120(1)	WAC 296-840-120 Methods of compliance. This section does not apply to tasks listed and performed in ac		1	1	
	Total			1	1	
155-035	296-155-035(4)	WAC 296-155-035 General requirements. (4) Suitable clothing shall be worn for the job. Sufficient and proj	1		1	

Top Cited WAC Code Violation Detail CY 2025				General	Serious & Higher	Total
Orig WAC Abbreviated	Orig WAC Cited	WAC Text	Vios Cited	Vios Cited	Vios Cited	
	Total		1		1	
155-771	296-155-77100(3)(b)	WAC 296-155-77100 Hoists, elevators, excavators, and conveyors. (3) Excavation machines. (b) Where th		1	1	
	Total			1	1	
800-110	296-800-11005	WAC 296-800-11005 Provide a workplace free from recognized hazards. You must provide your employees		1	1	
	Total			1	1	
27-2105	296-27-02105(1)(b)	WAC 296-27-02105 Annual summary. (1) At the end of each calendar year, you must: (b) Use the OSHA	1		1	
	Total		1		1	
869-600	296-869-60005	WAC 296-869-60005 Intended use. You must make sure elevating work platforms are used only for their ir		1	1	
	Total			1	1	
863-400	296-863-40060(1)(a)	WAC 296-863-40060 Make sure work platforms and PITs used to lift people meet these requirements. (1) \		1	1	
	Total			1	1	
901-140	296-901-14010(1)	WAC 296-901-14010 Written hazard communication. (1) Employers must develop, implement, and maintai		1	1	
	Total			1	1	
155-337	296-155-33705(1)	WAC 296-155-33705 General requirements. (1) Employers must ensure all rigging activities covered under		1	1	
	Total			1	1	
27-3101	296-27-03101(1)	WAC 296-27-03101 Providing records to government representatives. (1) When an authorized governmen	1		1	
	Total		1		1	
155-775	296-155-775(8)(b)	WAC 296-155-775 Preparatory operations. (8)(b) When the presence of any such substance is apparent or		1	1	
	Total			1	1	
307-520	296-307-52031(6)	WAC 296-307-52031 Operating powered industrial trucks. (6) When a truck operator is dismounted, withir	1		1	
	Total		1		1	
840-110	296-840-110(3)	WAC 296-840-110 Specified exposure control methods. This section applies to construction work and othe	1		1	
	Total		1		1	
155-235	296-155-235(1)	WAC 296-155-235 Working over or adjacent to water. (1) When an employee is employed under condition		1	1	
	Total			1	1	
876-200	296-876-20005(1)	WAC 296-876-20005 Design and construction. Important: Design and construction requirements of this se	1		1	
	Total		1		1	
155-338	296-155-33825(2)(b)	WAC 296-155-33825 Synthetic roundslings (2) Inspection. (b) A qualified person must perform a visual i	1		1	
	Total		1		1	
155-212	296-155-212(3)	WAC 296-155-212 Foot protection. (3) Traditional tennis shoes, shoes with canvas tops, or thin or soft sole		1	1	
	Total			1	1	
155-339	296-155-33920(2)(a)	WAC 296-155-33920 Links, rings, and swivels. (2) Follow these rigging practices for swivels: (a) Swivels n		1	1	
	Total			1	1	