



Originally published: May 2017

Updated: February 2025

## Washington State Occupational Health Indicators - Current Data (2010-present)

Data from the Safety & Health Assessment & Research for Prevention (SHARP) program at L&I.

(SHARP Surveillance Report #80-20-2025)

### Occupational Health Indicators

There are over 3 million workers in Washington State. Every year tens of thousands are injured or made ill on the job. These work-related injuries and illnesses have high human and economic costs, but can be prevented. Tracking these injuries and illnesses is the first step to understanding whether prevention methods are succeeding or need to be improved.

Washington State researchers at the Department of Labor and Industries worked with the Council of State and Territorial Epidemiologists (CSTE) Occupational Health workgroup to develop a set of measures to track occupational injuries and illnesses. These measures are called 'occupational health indicators' (OHI) and are meant to provide an overview and general assessment of the occupational health status of Washington State.

CSTE publishes OHI data annually, but does not necessarily include the most up-to-date data. Generally, the OHI data on the CSTE website lag the publication year by 3 years (for example, OHI data for year 2014 are not published on the CSTE website until late 2017). In an effort to make WA State OHI data available in more "real-time", this report summarizes the data available from 2010 through the most currently available data. Because data sources differ in publication schedules, portions of the report may be blank where data are not yet available.

This document will be updated biannually, or as data becomes available. Revisions will be noted.

(P) denotes preliminary numbers.

(R) denotes a revision.

Newest data appears in **blue bold font**.

A dashed vertical line between years of data indicates a break in series, generally due to changes in coding systems.

"NA" indicates data not available.

"NR" indicates data not reportable due to small numbers.

For technical notes and details on data sources, case definitions and methods, see indicator report #80-14-2019 "Washington State Occupational Health Indicators: 2000-2014 Trends"

[https://lni.wa.gov/safety-health/safety-research/files/2019/WA\\_OHI\\_Trends\\_2000to2014.pdf](https://lni.wa.gov/safety-health/safety-research/files/2019/WA_OHI_Trends_2000to2014.pdf)

For information about the development and selection of the Occupational Health Indicators, as well as the downloadable guide that contains the methodology, see the CSTE website <http://www.cste.org/group/OHIndicators>

### Need more information?

Safety and Health Assessment and Research for Prevention (SHARP) Program

Washington State Department of Labor and Industries

PO Box 44330

Olympia, WA 98504-4330

1-888-66-SHARP

This report was supported in part by Cooperative Agreement U60 OH008487 from the National Institute for Occupational Safety and Health (NIOSH). The contents are solely the responsibility of the authors and do not necessarily represent the official views of NIOSH and the Center for Disease Control and Prevention.

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Number of employed persons age ≥ 16 years	3,180,000	3,127,000	3,184,000	3,221,000	3,269,000	3,354,000	3,449,000	3,551,000	3,613,000	3,779,000	3,595,000	3,693,000	3,828,000	3,859,000
<b>Employment Demographics</b>														
<b>P1. Percentage of civilian workforce unemployed</b>	10.2	9.4	8.3	7.0	6.3	6.0	5.5	4.6	4.4	4.2	8.3	5.5	4.4	4.1
<b>P2. Percentage of civilian employment self-employed</b>	7.6	7.1	7.6	6.5	6.1	6.1	6.0	7.1	6.0	6.3	7.0	6.5	6.5	5.4
<b>P3. Percentage of civilian employment in part-time jobs</b>	23.0	22.4	21.8	20.0	20.1	19.8	19.3	19.7	17.9	17.1	17.2	17.9	17.2	18.1
<b>P4. Percentage of civilian employment by number of hours worked</b>														
<40 hours	40.5	40.1	38.7	35.9	36	36.9	34.9	35.7	32.6	34.0	36.9	34.2	35.9	24.4
40 hours	35.7	35.5	37.0	40.1	39.6	36.9	38.6	38.9	41.2	40.8	42.1	44.5	45.6	33.7
41+ hours	23.8	24.4	24.3	24.0	24.4	26.2	26.4	25.4	26.2	25.3	20.9	21.2	22.2	17.2
<b>P5. Percentage of civilian employment by sex</b>														
Males	52.4	52.6	53.3	53.5	53.3	53.8	52.8	54.0	54.7	53.8	53.5	53.3	54.2	54.4
Females	47.6	47.4	46.7	46.5	46.7	46.2	47.2	46.0	45.3	46.3	46.5	46.7	45.8	45.6
<b>P6. Percentage of civilian employment by age group</b>														
16 to 17	1.0	0.7	1.0	0.8	0.9	1.0	1.2	1.0	1.2	0.9	0.7	1.1	1.1	1.3
18 to 64	95.2	94.9	94.2	94.6	94.1	93.6	93.7	93.0	94.0	93.7	93.4	93.3	93.1	93.0
65+	3.8	4.5	4.8	4.6	5.1	5.4	5.1	6.0	4.8	5.4	5.9	5.6	5.8	5.7
<b>P7. Percentage of civilian employment by race</b>														
White	84.6	84.5	81.7	82.2	81.8	81.0	80.7	80.5	79.4	78.9	79.1	79.1	78.1	78.0
Black	2.6	2.7	3.3	3.0	3.3	3.8	4.1	4.0	3.8	3.7	4.1	4.9	4.6	5.0
Other	12.8	12.8	15.0	14.8	14.9	15.2	15.3	15.5	16.7	17.4	16.9	16.0	17.4	17.0
<b>P8. Percentage of civilian employment by Hispanic Origin</b>	8.3	7.9	9.0	9.7	10.8	12.4	12.1	13.2	13.3	13.5	13.3	14.5	13.9	14.0
<b>P9. Percentage of civilian employment by industry</b>														
<b>Post-2003 Industry Categories:</b>														
Mining	0.1	<0.05	<0.05	0.1	0.1	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1
Construction	6.6	5.7	5.5	6.4	6.5	6.6	6.3	6.9	7.1	7.2	7.6	7.5	7.8	7.0
Manufacturing - Durable goods	7.5	8.4	9.6	8.1	7.5	7.1	6.9	7.1	7.5	8.2	7.7	6.5	6.7	7.2
Manufacturing - Non-durable goods	3.0	2.6	2.7	2.9	3.5	3.5	3.2	2.9	3.4	3.2	2.3	2.5	2.9	2.4
Wholesale and Retail Trade	13.3	13.5	14.2	14.2	14.3	14.0	14.8	15.6	13.5	13.2	14.3	13.1	12.6	13.2
Transportation and utilities	4.7	5.3	5.2	5.5	5.3	5.2	5.2	5.3	5.6	5.3	4.5	6.4	6.3	5.6
Information	2.3	2.6	2.3	1.9	2.3	2.5	2.0	2.4	1.9	1.8	2.5	2.2	2.5	3.1
Financial activities	5.8	5.5	5.0	5.9	5.9	5.1	5.6	5.4	5.3	5.7	4.9	4.5	4.7	5.0
Professional and business services	12.8	11.9	12.2	13.0	12.8	12.9	13.9	13.4	13.6	14.1	13.8	13.9	13.4	15.0
Education and health services	20.8	22.1	21.8	21.3	20.9	20.8	20.8	19.5	19.4	19.2	21.1	21.9	22.7	21.2
Leisure and hospitality	9.8	9.8	9.4	10.0	9.1	8.9	9.3	9.2	9.3	8.9	7.2	7.1	8.3	8.5
Other services	4.4	4.0	4.4	4.3	4.1	4.3	4.8	4.4	4.5	4.0	4.4	4.7	3.8	4.2
Public administration	6.3	6.1	5.2	4.3	4.6	5.0	4.0	4.5	5.0	5.3	5.4	5.7	5.2	4.7
Agriculture and related	2.4	2.3	2.5	2.3	2.8	4.0	2.9	3.3	3.7	3.8	4.1	4.0	3.0	2.8

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Number of employed persons age ≥ 16 years	3,180,000	3,127,000	3,184,000	3,221,000	3,269,000	3,354,000	3,449,000	3,551,000	3,613,000	3,779,000	3,595,000	3,693,000	3,828,000	3,859,000

#### Employment Demographics (continued)

##### P10. Percentage of civilian employment by occupation

###### Post-2003 Occupational Categories:

Management, business and financial operations	15.7	16.4	16.1	16.9	17.2	16.8	18.9	18.4	16.9	18.4	20.6	18.3	18.8	21.6
Professional and related	24.6	24.4	24.7	24.1	23.9	25.0	24.4	22.8	24.2	24.4	26.0	25.4	27.4	26.5
Service	17.2	17.9	16.9	16.7	16.2	16.1	16.3	16.2	17.7	16.7	15.6	15.8	15.7	15.1
Sales and related	9.9	9.6	10.6	9.9	9.9	9.2	9.6	10.1	9.7	9.0	8.4	8.7	7.9	8.4
Office and administrative support	12.1	12.0	11.2	11.3	11.5	10.8	10.7	11	10.5	10.0	8.8	9.5	9.4	9.1
Farming/forestry/fishing	1.6	1.4	1.4	1.4	1.6	2.5	1.6	2.1	2.3	2.4	2.3	2.5	1.7	1.5
Construction and extraction	5.1	4.0	4.2	4.7	5.4	4.6	4.3	5.1	4.7	5.2	4.6	5.2	5.7	4.5
Installation, maintenance, and repair	3.2	3.7	3.4	3.8	3.9	4.1	3.0	3.3	2.8	2.6	3.0	3.1	2.7	2.7
Production	5.0	5.1	5.3	5	5.4	4.9	5.0	4.4	4.9	5.0	4.5	4.5	4.3	4.3
Transportation/material moving	5.7	5.7	6.2	6.1	5.2	6.0	6.2	6.5	6.5	6.3	6.2	6.8	6.3	6.3

##### P11. Percentage of workers in or represented by a union

Union members							17.4	18.8	19.8	18.8	17.4	19.0	18.0	16.5
Represented by a union							18.7	20.2	20.5	20.2	18.6	20.0	19.1	18.1

#### Indicator 1. Nonfatal Occupational Injuries and Illness Reported by Employers<sup>1</sup>

1.1 Number of occupational injuries and illnesses reported by employers	86,700	89,300	89,300	91,100	90,000	90,700	89,200	86,600	89,300	88,600	78,200	77,600	89,900	81,600
1.2 Rate of occupational injuries and illnesses per 100,000 FTE	4,800	4,900	4,800	4,800	4,600	4,400	4,300	4,000	4,000	3,800	3,500	3,500	3,900	3,400
1.3 Number of cases involving days away from work	28,700	29,900	28,500	29,900	29,200	29,400	27,000	29,300	28,800	28,000	32,000	33,100	39,600	31,600
1.4 Rate of cases involving days away from work per 100,000 FTE	1,600	1,600	1,500	1,600	1,500	1,400	1,300	1,300	1,300	1,200	1,400	1,500	1,700	1,300
1.5 Number involving >10 days away from work	12,660	13,060	12,110	12,400	12,220	12,290	9,880	11,620	11,950	9,430	14,030	26,120		

#### Indicator 2. Work-related Hospitalizations

2.1 Annual number of work-related hospitalizations	5,200	5,012	4,747	4,258	3,707	3,367	3,074	3,082	2,754	2,543	2,068	1,789	1,598	1,681
2.2 Annual rate of hospitalizations per 100,000 employed persons	163.5	160.3	149.1	132.2	113.4	100.9	89.1	86.8	76.2	67.3	57.5	48.4	41.7	43.6

#### Indicator 3. Work-related Fatal Injuries

3.1 Annual number of work-related traumatic fatalities	104	60	67	56	88	70	78	84	86	84	83	73	104	97
3.2.1 Annual fatality rate per 100,000 employed persons	3.6	1.9	2.1	1.7	2.7	2.1	2.3	2.4	2.4	2.2	2.3	2.0	2.7	2.5
3.2.2 Annual fatality rate per 100,000 FTE	3.6	2.1	2.3	1.9	2.9	2.2	2.4	2.5	2.5	2.5	2.5	2.1	3.0	2.7

#### Indicator 4. Work-related amputations with days away from work reported by employers<sup>1,2</sup>

4.1 Estimated annual number of work-related amputations involving days away from work	70	320	70	70	90	120	160	90	250	130	80	240		
4.2 Estimated rate of amputations involving days away from work per 100,000 FTE	4.0	17.0	4.0	4.0	5.0	6.0	8.0	4.0	11.0	6.0	4.0	5.0		

<sup>1</sup>Beginning in 2021, indicators 1.5, 4.1, and 4.2 are presented as biennial estimates, following the change in the BLS data release schedule.

<sup>2</sup>Series break between 2010 and 2011 reflect change in OIICS codes from version 1 to version 2.

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Number of employed persons age ≥ 16 years	3,180,000	3,127,000	3,184,000	3,221,000	3,269,000	3,354,000	3,449,000	3,551,000	3,613,000	3,779,000	3,595,000	3,693,000	3,828,000	3,859,000

**Indicator 5. State workers' compensation claims for amputations with lost work-time**

<i>Number of WA workers covered by state workers' comp system</i>	2,667,000	2,707,000	2,751,000	2,820,000	2,899,000	3,049,000	3,141,000	3,215,000	3,298,000	3,363,000	3,180,000	3,274,000	3,437,000	
<b>5.1 Number of workers' comp claims for amputations with lost work-time</b>	175	194	195	228	211	240	230	227	235	184	163	158	174	225 (P)
<b>5.2 Rate workers' comp claims for amputations with lost work-time per 100,000 workers covered by state workers' comp system</b>	6.6	7.2	7.1	8.1	7.3	7.9	7.3	7.1	7.1	5.5	5.1	4.8	5.1	

**Indicator 6. Hospitalization for work-related burns<sup>1</sup>**

<b>6.1 Number of hospitalizations for work-related burns</b>	70	67	55	58	37	51	45	33	32	39	19	24	21	32
<b>6.2 Rate of hospitalizations for work-related burns per 100,000 employed persons</b>	4.0	2.1	1.7	1.8	1.1	1.5	1.3	0.9	0.9	1.0	0.5	0.6	0.5	0.8

**Indicator 7. Work-related musculoskeletal disorders (MSD) with days away from work reported by employers<sup>2,3</sup>**

<b>7.1 Estimated number of all MSD cases involving days away from work</b>	11,410	12,430	12,100	12,020	11,230	10,900	9,660	10,970	10,470	9,400	9,730		19,310	
<b>7.2 Estimated incidence rate of all MSD involving days away from work per 100,000 FTE</b>	631	679	649	630	568	527	467	504	469	408	440		428	
<b>7.3 Estimated number of MSD of the neck, shoulder, and upper extremity involving days away from work</b>	4,000	3,620	3,470	3,910	3,510	3,060	3,490	3,270	3,030	2,820	3,240		5,560	
<b>7.4 Estimated incidence rate of MSDs of neck, shoulder &amp; upper extremity involving days away from work per 100,000 FTE</b>	222	198	186	205	178	149	169	150	136	122	146		123	
<b>7.5 Estimated number of carpal tunnel syndrome (CTS) cases involving days away from work</b>	560	480	320	260	190	150	350	180	170	210	160		290	
<b>7.6 Estimated incidence rate of CTS cases involving days away from work per 100,000 FTE</b>	31	26	17	14	10	7	17	8	8	9	7		6	
<b>7.7 Estimated number of MSD of the back involving days away from work</b>	4,880	5,320	5,620	5,140	4,810	4,870	3,820	4,580	4,250	3,350	3,900		7,780	
<b>7.8 Estimated incidence rate of MSD of the back involving days away from work per 100,000 FTE</b>	270	290	301	269	244	236	184	210	191	153	176		173	

**Indicator 8. State workers' compensation claims for carpal tunnel syndrome (CTS) with lost work-time**

<i>Number of WA workers covered by state workers' comp system</i>	2,667,000	2,707,000	2,751,000	2,820,000	2,899,000	3,049,000	3,141,000	3,215,000	3,298,000	3,363,000	3,180,000	3,274,000	3,437,000	
<b>8.1 Number of workers' comp claims for carpal tunnel syndrome (CTS) with lost work-time</b>	919	829	787	663	631	611	536	489	481	458	390	480	437	
<b>8.2 Rate of workers' comp claims for CTS per 100,000 workers covered by state workers' comp system</b>	34.5	30.6	28.6	23.5	21.8	20.0	17.1	15.2	14.6	13.6	12.3	14.7	12.7	

<sup>1</sup>Series breaks around 2015 reflect the nation's transition from version ICD-9 to ICD-10 in October 2015.

<sup>2</sup>Series break between 2010 and 2011 reflect change in OIICS codes from version 1 version 2.

<sup>3</sup>Beginning in 2021, indicators 1.5, 4.1, and 4.2 are presented as biennial estimates, following the change in the BLS data release schedule.

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
<b>Number of employed persons age ≥ 16 years</b>	<b>3,180,000</b>	<b>3,127,000</b>	<b>3,184,000</b>	<b>3,221,000</b>	<b>3,269,000</b>	<b>3,354,000</b>	<b>3,449,000</b>	<b>3,551,000</b>	<b>3,613,000</b>	<b>3,779,000</b>	<b>3,595,000</b>	<b>3,693,000</b>	<b>3,828,000</b>	<b>3,859,000</b>
<b>Indicator 9. Hospitalizations from or with pneumoconiosis<sup>1,2</sup></b>														
<b>9.1 Hospital discharges with a primary or contributing diagnosis of total pneumoconiosis</b>														
9.1.1 Number of hospital discharges	470	404	390	341	287	220	179	200	159	157	110	110	101	119
9.1.2 Rate of hospitalizations per million residents	86.8	73.2	69.9	60.4	50.1	41.6	30.2	33.2	25.9	25.2	17.9	17.3	15.7	18.4
9.1.3 Rate of hospitalizations, age-standardized	91.3	76.2	70.2	59.2	48.2	36.8	28.5	31.5	24.4	24.8	16.8	15.9	14.0	16.3
<b>9.2 Hospital discharge with a primary, contributing diag of coal workers' pneumoconiosis</b>														
9.2.1 Number of hospital discharges	10	10	14	10	7	<10	<10	<10	14	10	<10	<10	10	10.0
9.2.2 Rate of hospitalizations per mil residents	1.8	1.8	2.5	1.8	1.2	NR	NR	NR	2.3	1.6	NR	NR	1.6	1.5
9.2.3 Rate of hospitalizations, age-standardized	2.0	1.7	2.2	1.6	1.0	NR	NR	NR	2.2	1.4	NR	NR	1.4	1.3
<b>9.3 Hospital discharges with a primary or contributing diagnosis of asbestosis</b>														
9.3.1 Number of hospital discharges	441	373	361	312	266	200	154	176	131	131	86	92	77	91
9.3.2 Rate of hospitalizations per million residents	81.4	67.6	64.7	55.3	46.4	37.8	26.0	29.2	21.3	21.0	14.0	14.5	12.0	14.4
9.3.3 Rate of hospitalizations, age-standardized	86.1	70.9	65.6	53.9	44.5	33.3	24.4	27.7	20.3	19.6	13.5	13.5	10.6	12.6
<b>9.4 Hospital discharges with a primary or contributing diagnosis of silicosis</b>														
9.4.1 Number of hospital discharges	12	11	10	9	9	<10	<10	10	<10	<10	<10	<10	<10	<10
9.4.2 Rate of hospitalizations per million residents	2.2	2.0	1.7	1.6	1.6	NR	NR	1.7	NR	NR	NR	NR	NR	NR
9.4.3 Rate of hospitalizations, age-standardized	2.1	2.0	1.6	1.6	1.6	NR	NR	1.5	NR	NR	NR	NR	NR	NR
<b>9.5 Hospital discharges with a primary or contributing diag of other pneumoconiosis</b>														
9.5.1 Number of hospital discharges	8	11	5	10	6	<10	12	<10	<10	12	11	10	<10	15
9.5.2 Rate of hospitalizations per million residents	1.5	2	0.9	1.8	1.0	NR	2.0	NR	NR	1.9	1.8	1.6	NR	2.3
9.5.3 Rate of hospitalizations, age-standardized	1.4	1.7	0.7	2.0	1.0	NR	1.7	NR	NR	1.9	1.4	1.4	NR	2.0
<b>Indicator 10. Mortality from or with pneumoconiosis<sup>2</sup></b>														
<b>10.1 Deaths with pneumoconiosis as underlying or contributing cause</b>														
10.1.1 Number of deaths	81	71	64	85	68	64	60	54	66	45	57	47	44	44
10.1.2 Death rate per million residents	14.9	12.9	11.5	15.1	11.9	10.9	10.1	9.1	10.7	7.2	9.3	7.4	6.8	6.8
10.1.3 Death rate, age standardized	15.1	13.6	11.5	14.7	11.4	10.5	9.7	8.8	10.0	6.8	9.1	6.9	6.3	6.3
<b>10.2 Deaths with coal workers pneumoconiosis as underlying or contributing cause</b>														
10.2.1 Number of deaths	2	1	0	0	1	0	1	1	2	2	0	1	0	0
10.2.2 Death rate per million residents	NR													
10.2.3 Death rate, age standardized	NR													
<b>10.3 Deaths with asbestosis as underlying or contributing cause</b>														
10.3.1 Number of deaths	76	68	62	82	65	62	57	48	60	43	54	42	40	40
10.3.2 Death rate per million residents	14.0	12.3	11.2	14.5	11.3	10.6	9.6	8.1	9.8	6.9	8.8	6.6	6.2	6.2
10.3.3 Death rate, age standardized	14.3	13.1	11.2	14.3	10.9	10.1	9.2	8.0	9.1	6.6	8.6	6.2	5.7	5.7
<b>10.4 Deaths with silicosis as underlying or contributing cause</b>														
10.4.1 Number of deaths	2	2	2	1	0	3	2	3	1	0	3	2	1	1
10.4.2 Death rate per million residents	NR													
10.4.3 Death rate, age standardized	NR													
<b>10.5 Deaths with other pneumoconiosis as underlying or contributing cause</b>														
10.5.1 Number of deaths	1	0	0	3	2	0	2	2	3	0	0	2	3	3
10.5.2 Death rate per million residents	NR													
10.5.3 Death rate, age standardized	NR													

<sup>1</sup>Series breaks around 2015 reflect the nation's transition from version ICD-9 to ICD-10 in October 2015.

<sup>2</sup>Not reportable (NR) due to small numbers.

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Number of employed persons age ≥ 16 years	3,180,000	3,127,000	3,184,000	3,221,000	3,269,000	3,354,000	3,449,000	3,551,000	3,613,000	3,779,000	3,595,000	3,693,000	3,828,000	3,859,000
<b>Indicator 11. Acute work-related pesticide-associated illness and injury reported to poison control centers</b>														
11.1 Number of case of work-related pesticide poisoning	101	91	85	81	77	91	93	84	NA	NA	NA	NA		
11.2 Rate of work-related pesticide poisoning cases per 100,000 employed persons	3.2	2.91	2.7	2.5	2.4	2.7	2.7	2.4	NA	NA	NA	NA		
<b>Indicator 12. Incidence of malignant mesothelioma</b>														
12.1 Number of incident mesothelioma cases	103	95	94	81	96	92	86	98	81	76	74	76		
12.2 Rate of incident mesothelioma cases per million residents	19	17.2	16.9	14.4	16.8	15.8	14.5	16.3	13.2	12.2	12.1	12.0		
12.3 Rate of incident mesothelioma cases per million residents, age standardized	19.7	17.3	16.6	13.4	15.8	15.1	13.7	15.4	10.6	11.0	10.9	11.1		
<b>Indicator 13. Elevated blood lead levels among persons age 16 years or older ("Adults")</b>														
<b>13.1 Adults with a blood lead level (BLL) ≥5 ug/dL</b>														
13.1.1 Number of adults with BLL ≥5 ug/dL	NA	440	220	607	553	690								
13.1.2 Prevalence rate per 100,000 employed prsns	NA	11.6	6.1	16.4	14.4	18.0								
13.1.3 Number of incident cases	NA	337	132	510	394	515								
13.1.4 Incidence rate per 100,000 employed persons	NA	8.9	3.7	13.8	3.8	13.3								
<b>13.2 Adults with a blood lead level (BLL) ≥10 ug/dL</b>														
13.2.1 Number of adults with BLL ≥10 ug/dL	NA	227	191	212	212	147	185	217	375	250	187	314	236	305
13.2.2 Prevalence rate per 100,000 employed prsns	NA	7.3	6	6.6	6.5	4.4	5.4	6.1	10.4	6.6	5.2	8.5	6.2	8.0
13.2.3 Number of incident cases	NA	103	109	120	106	74	98	106	237	155	121	244	146	204
13.2.4 Incidence rate per 100,000 employed persons	NA	3.3	3.4	3.7	3.2	2.2	2.8	3.0	6.6	4.1	3.4	6.6	3.8	5.3
<b>13.3 Adults with a blood lead level (BLL) ≥25 ug/dL</b>														
13.3.1 Number of adults with BLL ≥ 25 ug/dL	84	67	65	53	42	30	25	35	67	24	29	68	26	34
13.3.2 Prevalence rate per 100,000 employed prsns	2.6	2.1	2.1	1.7	1.3	0.9	0.7	1.0	1.9	0.6	0.8	1.8	0.7	0.9
13.3.3 Number of incident cases	50	21	29	23	23	17	11	17	50	14	18	60	15	23
13.3.4 Incidence rate per 100,000 employed persons	1.5	0.7	0.9	0.7	0.7	0.5	0.3	0.5	1.4	0.4	0.5	1.6	0.4	0.6
<b>13.4 Adults with a blood lead level (BLL) ≥ 40 ug/dL</b>														
13.4.1 Number of adults with BLL ≥40 ug/dL	13	10	24	10	13	7	5	7	7	5	4	10	4	4
13.4.2 Prevalence rate per 100,000 employed prsns	0.4	0.3	0.8	0.3	0.4	0.2	0.1	0.2	0.2	0.1	0.1	0.3	0.1	0.1
13.4.3 Number of incident cases	11	3	16	5	7	4	2	6	3	3	2	8	2	3
13.4.4 Incidence rate per 100,000 employed persons	0.3	0.1	0.5	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1
<b>Indicator 14. Workers employed in industries at high risk for occupational morbidity</b>														
14.1 Number of persons employed in industries at high risk of occupational morbidity	155,685	165,375	159,659	127,571	131,945	134,409	138,641	141,923	149,982	152,750	150,937	147,134		
14.2 Percentage of persons employed in industries at high risk of occupational morbidity	6.7	7.0	6.8	5.2	5.2	5.2	5.2	5.1	5.3	5.3	5.0	5.2		
<b>Indicator 15. Workers employed in occupations at high risk for occupational morbidity (discontinued after 2021, no longer collected)</b>														
15.1 Number of persons employed in occupations at high risk of occupational morbidity	329,537	303,145	325,470	334,186	371,903	382,969	379,300	415,000	395,000	414,041	344,240			
15.2 Percentage of persons employed in occupations at high risk of occupational morbidity	14.5	13.6	14.3	13.7	15.0	15.4	14.8	15.8	14.6	14.7	13.1			

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Number of employed persons age ≥ 16 years	3,180,000	3,127,000	3,184,000	3,221,000	3,269,000	3,354,000	3,449,000	3,551,000	3,613,000	3,779,000	3,595,000	3,693,000	3,828,000	
<b>Indicator 16. Workers employed in industries and occupations at high risk for occupational mortality (discontinued after 2021, no longer collected)</b>														
16.1 Number of persons employed in industries at high risk of occupational mortality	316,303	376,458	384,315	419,771	428,700	485,126	481,118	536,000	555,000	565,292	559,258			
16.2 Percentage of persons employed in industries at high risk of occupational mortality	13.9	14.6	14.5	15.2	15.4	17.1	16.4	17.8	18.2	17.6	18.5			
16.3 Number of persons employed in occupations at high risk of occupational mortality	267,744	314,865	311,770	330,103	316,801	385,433	368,318	408,000	409,000	410,642	376,276			
16.4 Percentage of persons employed in occupations at high risk of occupational mortality	11.8	12.2	11.7	11.9	11.4	13.6	12.6	13.5	13.4	12.8	12.5			
<b>Indicator 17. Occupational safety and health professionals (discontinued after 2015, no longer collected)</b>														
17.1 Number of board-certified occupational medicine physicians (ABPM)	101	NA	102	NA	111	110								
17.2 Rate of ABPM physicians per 100,000 employed persons	3.2	NA	3.2	NA	3.4	3.3								
17.3 Number of members of the American College of Occupational and Environ Medicine (ACOEM)	111	NA	118	113	108	141								
17.4 Rate of ACOEM members per 100,000 employed persons	3.5	NA	3.7	3.5	3.3	4.2								
17.5 Number of American board-certified occupational health nurses (ABOHN)	94	NA	NA	89	81	83								
17.6 Rate of ABOHN nurses per 100,000 employed persons	3.0	NA	NA	2.8	2.5	2.5								
17.7 Number of American Association of Occupational Health Nurses (AAOHN) members	NA	NA	NA	NA	NA	NA								
17.8 Rate of AAOHN members per 100,000 employed persons	NA	NA	NA	NA	NA	NA								
17.9 Number of board-certified industrial hygienists (ABIH)	312	NA	209	253	251	233								
17.10 Rate of ABIH hygienists per 100,000 employed persons	9.8	NA	6.6	7.9	7.7	7.0								
17.11 Number of American Industrial Hygiene Association (AIHA) members	237	NA	261	196	NA	NA								
17.12 Rate of AIHA members per 100,000 employed persons	7.5	NA	8.2	6.1	NA	NA								
17.13 Number of board-certified safety health professionals (BCSP)	276	NA	319	331	350	367								
17.14 Rate of BCSP professionals per 100,000 employed persons	8.7	NA	10	10.3	10.7	11.0								
17.15 Number of American Society of Safety Engineers (ASSE) members	743	NA	809	848	800	822								
17.16 Rate of ASSE members per 100,000 employed persons	23.4	NA	25.4	26.3	24.5	24.6								
17.17 Total number of safety and health professionals		NA	1,818	1,830	1,749	1,842								
17.18 Rate of safety and health professionals per 100,000 employed persons		NA	57.1	56.8	53.5	55.2								
<b>Indicator 18. OSHA enforcement activities</b>														
18.1 Annual number of establishments inspected by OSHA in all OSHA-covered sectors	6,946	5,641	5,120	5,125	5,045	4,341	4,335	4,099	4,554	4,936	4,507	4,547		
18.2 Total number of establishments in the state	226,052	223,340	236,095	241,210	236,829	232,984	235,511	235,987	236,609	241,312	261,218	260,506		
18.3 Estimated percentage of eligible establishments inspected by OSHA	3.1	2.5	2.3	2.1	2.1	1.9	1.8	1.7	1.9	2.0	1.7	1.7		
18.4 Annual number of employees whose work areas were inspected by OSHA	188,904	153,303	158,802	132,940	182,668	233,942	338,664	188,907	365,739	276,251	317,587	197,689		
18.5 Estimated percentage of employees in eligible establishments inspected by OSHA	6.9	5.5	5.6	4.6	6.2	7.7	10.8	5.9	11.1	8.2	10.0	6.0		
<b>Indicator 19. Workers' Compensation Awards</b>														
19.1 Total amount of workers' compensation benefits paid	\$2,308,748,000	\$2,316,713,000	\$2,311,697,000	\$2,331,783,000	\$2,392,919,000	\$2,404,364,000	\$2,430,746,000	\$2,464,784,000	\$2,537,805,000	\$2,614,341,000	\$2,621,657,000	\$2,782,068,000	\$2,936,336,000	
19.2 Average amount of workers' compensation paid per covered worker	\$866	\$856	\$840	\$827	\$825	\$789	\$774	\$767	\$770	\$777	\$824	\$850	\$854	

**Indicator 20. Low Back Disorder<sup>1</sup>**

20.1 Number of hospitalizations involving surgery for work-related low back disorders	991	941	518	677	548
20.2 Rate of hospitalizations involving surgery for work-related low back disorder, per 100,000 employed persons	31.2	30.1	16.3	21	16.8
20.3 Number of hospitalizations for work-related low back disorders	1,128	1,069	775	794	653
20.4 Rate of hospitalizations for work-related low back disorders, per 100,000 employed persons	35.5	34.2	24.3	24.7	20

**Indicator 21. Asthma among Adults Caused or Made Worse by Work (Not available for WA)<sup>2</sup>**

**Indicator 22. Work-Related Severe Traumatic Injury Hospitalizations<sup>3</sup>**

22.1 Number of hospitalizations for work-related severe traumatic injury	460	443	434	428	408	NA	192	202	192	198	174	176	190
22.2 Rate of hospitalizations for work-related severe traumatic injury, per 100,000 employed persons	14.5	14.2	13.6	13.3	12.5	NA	5.6	5.7	5.3	5.2	4.8	4.8	5

**Indicator 23. Influenza Vaccination Coverage Among Healthcare Personnel (adopted in 2014)**

23.1 Percentage of Healthcare Personnel (HCP) who have Received an Influenza Vaccination	87.6%	87.1%	88.9%	89.8%	90.9%	91.1%	84.3%	80.9%	84.0%	78.3%
--	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

**Indicator 24. Occupational Heat-Related ED Visits (adopted in 2014 as an optional indicator, not available for WA)<sup>2</sup>**

<sup>1</sup>This indicator, based on International Statistical Classification of Disease (ICD) codes, is undergoing revisions to accommodate the transition to ICD-10. Data will be updated once revision is complete.

<sup>2</sup>The data for this indicator are not available (NA) for WA. See CSTE indicator website for data from other states: <https://www.cste.org/page/OHIndicators>

<sup>3</sup>Series breaks around 2015 reflect the nation's transition from version ICD-9 to ICD-10 in October 2015. Estimates from 2016 on should not be compared to earlier years because of the change in case definition.