

## DOSH Lead Rulemaking - Preliminary Bibliography of External Sources

This is a current list of resources that DOSH consulted in preparing its discussion draft of a revised, single lead rule protecting all workers in Washington, released on June 29, 2017. The primary intent of this revised rule is to achieve the best occupational health outcome possible in light of reduced background lead levels among the adult population. The department will be considering the significant advancements in our scientific understanding of the risks that lead poses to workers since the existing standards were written decades ago.

Note: Information submitted to the department by stakeholders and found on the website was also reviewed and is being considered. Department experience with the current lead standard, case outcomes, and experience outcomes with the adult blood lead registry are also being considered.

Beaucham, Catherine, Diana Ceballos & Bradley King. 2017. Lessons learned from surface wipe sampling for lead in three workplaces, *Journal of Occupational and Environmental Hygiene*, 14:8, 609-617, DOI: 10.1080/15459624.2017.1309047

Bellinger DC. The Protean Toxicities of Lead: New Chapters in a Familiar Story. *Int J Environ Res Public Health*. 2011; 8:2593-2628.

Bishop, Lane, and William J Hill. 1983. "A Study of the Relationship between Blood Lead Levels and Occupational Air Lead Levels." *The American Statistician* 37 (4): 471–75.

California Department of Public Health. Medical Guidelines for the Lead-Exposed Worker. Occupational Lead Poisoning Prevention Program. 2009. Available at <https://archive.cdph.ca.gov/programs/olppp/documents/medgdln.pdf>

Chavalitnitikul C, Levin L, and Chen LC. 1984. "Study and Models of Total Lead Exposures of Battery Workers." *American Industrial Hygiene Association Journal* 45 (12): 802–8.

Cheng Y, Schwartz J, Sparrow D, Aro A, Weiss ST, Hu H. Bone Lead and Blood Lead Levels in Relation to Baseline Blood Pressure and the Prospective Development of Hypertension; The Normative Aging Study. *Am J Epidemiol*. 2001; 153(2):164-171.

Chowdury R, Sarnat SE, Darrow L, McClellan W, Steenland K. Mortality among participants in a lead surveillance program. *Environmental Research* 2014; 132:100-104.

Council of State and Territorial Epidemiologists (CSTE). Management Guidelines for Blood Lead Levels in Adults. Available at <http://c.yumcdn.com/sites/www.cste.org/resource/resmgr/occupationalhealth/managementguidelinesforadult.pdf>

DoD 6055.05-M, OCCUPATIONAL MEDICAL EXAMINATIONS and SURVEILLANCE MANUAL, (incorporating Change 2, April 17, 2017)

## DOSH Lead Rulemaking - Preliminary Bibliography of External Sources

- Eum KD, Nie LH, Schwartz J, Vokonas PS, Sparrow D, Hu H, Weisskopf MG. Prospective Cohort Study of Lead Exposure and Electrodiagnostic Conduction Disturbances in the Department of Veteran Affairs Normative Aging Study. *Environ Health Perspect.* 2011 Jul;119(7):940-44.
- Eum KD, Weisskopf MG, Nie LH, Hu H, Korrick SA. Cumulative Lead Exposure and Age at Menopause in the Nurses' Health Study Cohort. *Environ Health Perspect.* 2014 Mar;122(3):229-34.
- Gambelunghe A, Sallsten G, Borné Y, Forsgard N, Hedblad B, Nilsson P, Fagerberg B, Engström G, Barregard L. Low-level exposure to lead, blood pressure, and hypertension in a population based cohort. *Environmental Research* 2016; 149:157-163.
- Goldman RH, Hu H. Up-to-Date®: Adult Occupational Lead Poisoning. June 2017.
- Hodgkins, D G, T G Robins, D L Hinkamp, M A Schork, and W H Krebs. 1992. "A Longitudinal Study of the Relation of Lead in Blood to Lead in Air Concentrations among Battery Workers." *Occupational and Environmental Medicine* 49 (4): 241–48. doi:10.1136/oem.49.4.241.
- Holland MG, Cawthon D. ACOEM Position Statement: Workplace Lead Exposure. *JOEM* 2016 58(12): e371-374.
- Hsieh NH, Chung SC, Chen WY, Cheng YH, Lin YJ, You SH, Liao CM. Anemia risk in relation to lead exposure in lead related manufacturing. *BMC Public Health* 2017; 17:389
- Hu H, Shih R, Rothenberg S, Schwartz BS. The Epidemiology of Lead Toxicity in Adults: Measuring Dose and Consideration of Other Methodologic Issues. *Environ Health Perspect.* 2007 Mar;115(3):455-62.
- International Agency for Research on Cancer. IARC Monograph on the Evaluation of Carcinogenic Risks to Humans: Inorganic and organic lead compounds. Volume 87. Lyon, France, 2006.
- Jain NB, Potula V, Schwartz J, Vokonas PS, Sparrow D, Wright RO, Nie H, Hu H. Lead Levels and Ischemic Heart Disease in a Prospective Study of Middle-Aged and Elderly Men: the VA Normative Study. *Environ Health Perspect.* 2007 Jun;115(6):871-75.
- Kentner, Michael, and Thomas Fischer. 1994. "Lead Exposure in Starter Battery Production: Investigation of the Correlation between Air Lead and Blood Lead Levels." *International Archives of Occupational and Environmental Health* 66 (4): 223–28. doi:10.1007/BF00454359.
- Koh DH, Locke SJ, Chen YC, Purdue MP, Friesen MC. Lead exposure in US worksites: A literature review and development of an occupational lead exposure database from published literature. *Am J Ind Med.* 2015 Jun; 58(6):605-616.
- Kosnett MJ, Wedeen RP, Rothenberg SJ, Hipkins KL, Materna BL, Schwartz BS, Hu H, Woolf A. Recommendations for medical management of adult lead exposure. *Environ Health Perspect.* 2007 Mar;115(3):463-71.
- Lai, Jim-Shoung, T.-N Wu, Saou-Hsing Liou, Chen-Yang Shen, Chiam-Fang Guu, Kquei-Nu Ko, Chi Hsueh-Yun, and P.-Y Chang. 1997. "A Study of the Relationship between Ambient Lead

## DOSH Lead Rulemaking - Preliminary Bibliography of External Sources

and Blood Lead among Lead Battery Workers.” *International Archives of Occupational and Environmental Health* 69 (4): 295–300. doi:10.1007/s004200050150.

Menke A, Muntner P, Batumen V, Silbergard EK, Guallar E. Blood Lead Below 0.48 $\mu$ mol/L (10 $\mu$ g.dl) and Mortality Among US Adults. *Circulation*. 2006; 114:1388-1394.

National Research Council. *Potential Health Risks to DOD Firing-Range Personnel from Recurrent Lead Exposure*. National Academies Press. Washington, DC. 2013. Print.

National Toxicology Program. *NTP Monograph on Health Effects of Low-Level Lead*. U.S. Department of Health and Human Services, National Institute of Environmental Health Sciences, National Institute of Health. NIH Publication No. 12-5996. Washington, DC, 2012.

Navas-Acien A, Guallar E, Silbergard EK, Rothenberg SJ. Lead Exposure and Cardiovascular Disease – A Systematic Review. *Environ Health Perspect*. 2007 Mar;115(3):472-82.

Nawrot TS, Thijs L, Den Hond EM, Roels HA, Staessen JA. An epidemiological re-appraisal of the association between blood pressure and blood lead: a meta-analysis. *J Human Hypertension*. 2002; 16:123-131.

OSHA. Preambles to Final Rules: Occupational Exposure to Lead (November 1978). Available at [https://www.osha.gov/pls/oshaweb/owasrch.search\\_form?p\\_doc\\_type=PREAMBLES&p\\_toc\\_level=1&p\\_keyvalue=Lead~\(November~1978\)](https://www.osha.gov/pls/oshaweb/owasrch.search_form?p_doc_type=PREAMBLES&p_toc_level=1&p_keyvalue=Lead~(November~1978))

Catherine Petito Boyce, Sonja N. Sax & Joel M. Cohen (2017) Particle size distributions of lead measured in battery manufacturing and secondary smelter facilities and implications in setting workplace lead exposure limits, *Journal of Occupational and Environmental Hygiene*, 14:8, 594-608, DOI: 10.1080/15459624.2017.1309046

Peters JL, Kubzansky LD, Ikeda A, Fang SC, Sparrow D, Weisskopf MG, Wright RO, Vokonas P, Hu H, Schwartz J. Lead Concentrations in Relation to Multiple Biomarkers of Cardiovascular Disease: The Normative Aging Study. *Environ Health Perspect*. 2012 Mar; 120(3):361-66.

Pierre, Francis, Vallayer Cécile, Baruthio François, Arlette Peltier, Sylvie Pale, Rouyer Joël, Pierre Goutet, et al. 2002. “Specific Relationship between Blood Lead and Air Lead in the Crystal Industry.” *International Archives of Occupational and Environmental Health* 75 (4): 217–23. doi:10.1007/s00420-001-0303-3.

Power MC, Korrick S, Tchetgen EJ, Nie LH, Grodstein F, Hu H, Weuve J, Schwartz MG. Lead exposure and rate of change in cognitive function in older women. *Environmental Res*. 2014; 129:69-75.

Rodrigues EG, Virji MA, McClean MD, Weinberg J, Woskie S, Pepper LD. Personal Exposure, Behavior, and Work Site Conditions as Determinants of Blood Lead Among Bridge Painters. *J Occup Environ Hyg*. 2010 Feb; 7(2):80-87.

Rzymiski P, Tomczyk K, Rzymiski P, Poniedziałek B, Opala T, Wilczak. Impact of heavy metals on the female reproductive system. *Ann Ag Env Medicine*. 2015; 22(2):259-264.

## DOSH Lead Rulemaking - Preliminary Bibliography of External Sources

Schnaas L, Rothenberg SJ, Flores MF, Martinez S, Hernandez C, Osorio E, Velasco SR, Perroni E. Reduced Intellectual Development in Children with Prenatal Lead Exposure. *Environ Health Perspect.* 2006 May; 114(5):791-97.

Schober SE, Mirel LB, Graubard BI, Brody DJ, Flegal KM. Blood Lead Levels and Death from All Causes, Cardiovascular Disease, and Cancer: Results from the NHANES III Mortality Study. *Environ Health Perspect.* 2006 Oct; 114(6):1538-1541.

Schwartz BS, Hu H. Adult Lead Exposure: Time for a Change. *Environ Health Perspect.* 2007 Mar;115(3):451-54.

Schwartz J. The Relationship Between Blood Lead and Blood Pressure in the NHANES II Survey. *Environ Health Perspect.* 1988; 78:15-22.

Shih RA, Hu H, Weisskopf MG, Schwartz BS. Cumulative Lead Dose and Cognitive Function in Adults: A Review of Studies that Measured Both Blood Lead and Bone Lead. *Environ Health Perspect.* 2007 Mar;115(3):483-92.

Snee, R. D. 1981. "Evaluation of Studies of the Relationship between Blood Lead and Air Lead." *International Archives of Occupational and Environmental Health* 48 (3): 219–42. doi:10.1007/BF00405610.

Staessen JA, Lauwerys RR, Buchet JP, Bulpitt CJ, Rondia D, Vanrentegerghem Y, Amery A and the Cadmibel Study Group. Impairment of Renal Function with Increasing Blood Lead Concentrations in the General Population. *NEJM* 1992: 327:151-156.

Stoia M, Kurtanjek Z, Oancea S. Reliability of a Decision Tree Model in Predicting Occupational Lead Poisoning in a Group of Highly Exposed Workers. *AJIM* 2016. 59:575-582.

Tsaih SW, Schwartz J, Lee MLT, Amarasiriwardena C, Aro A, Sparrow D, Hu H. The Independent Contribution of Bone and Erythrocyte Lead to Urinary Lead among Middle-aged and Elderly Men. *Environmental Health Perspectives* 1999; 107(5):391-396.

Vork K., Carlisle J, Brown JP. *Estimating Workplace Air and Worker Blood Lead Concentration using an Updated Physiologically-based Pharmacokinetic (PBPK) Model.* Office of Environmental Health Hazard Assessment, California Environmental Protection Agency. 2013. Available at <https://oehha.ca.gov/media/downloads/air/document/finalpbOctober2013errata.pdf>.

Weisskopf MG, Myers G. cumulative effect of lead on cognition: Is bone more revealing than blood? *Neurology* 2006; 67(9): 1536-1537.

Williams, M. K, E King, and J Walford. 1969. "An Investigation of Lead Absorption in an Electric Accumulator Factory with the Use of Personal Samplers." *Occupational and Environmental Medicine* 26 (3): 202–16. doi:10.1136/oem.26.3.202.

Williams, M. K. 1978. "Permissible Limits for Occupational Exposure to Inorganic Lead and the Blood Lead — Air Lead Relationship." *International Archives of Occupational and Environmental Health* 41 (3): 151–57. doi:10.1007/BF00572887.

# DOSH Lead Rulemaking - Preliminary Bibliography of External Sources